



ADJUVANT

Aqua-Wet

Reg. No. L6204 Act No. 36 of 1947

**READ LABEL BEFORE USE.
KEEP OUT OF REACH OF CHILDREN AND ANIMALS.**

Aqua-Wet is a water-soluble non-ionic wetting agent for use with most agricultural sprays to improve the wetting and sticking properties of sprays to plant foliage.



DANGER

ACTIVE INGREDIENT

Alcohol ethoxylate
Glycol ether
Fatty acids

Total active ingredients:

900 g/l

HAZARD STATEMENTS:

Causes skin irritation.
Causes serious eye irritation.
Very toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS:

Wash hands and affected area thoroughly after handling.
Do not touch eyes. Wear protective gloves, face shield and safety goggles when handling liquids.

Rolfes 
Agri

Emergency contact details
Office Hour Poisoning Helpline
Rolfes Agri (Pty) Ltd.
Tel: +27 (12) 803 0145

Registration Holder: Rolfes Agri (Pty) Ltd.
(Reg. No. 1998/013411/07) • 288 Mundt Street, Waitloo, 0184,
Gauteng, RSA. • Tel: (012) 803-0145

Spill Response and Transport incidents
Spill Tech, Oil and chemical pollution control
Tel: +27 (86) 100 0366 / +27 (83) 253 6618
www.spilltech.co.za



Shake well before use • Store at room temperature
Keep out of direct sunlight • Keep container closed when not in use

WARNINGS:

- Observe any warnings that apply to the product or products with which **AQUA-WET** is to be used.

Although this adjuvant has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animals or for lack of performance of the adjuvant concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

- If medical advice is needed, have container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Wash hands and affected area thoroughly after handling. Do not touch eyes.
- Wear protective gloves, face shield and safety goggles when handling liquids.
- Avoid release to the environment.
- IF ON SKIN, wash with plenty of water.
- Specific treatment (see first aid instructions on this label)
- Remove contact lenses, if present and easy to do so. Continue rinsing.
- If skin irritation occurs, get medical help
- IF IN EYES; rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
- If eye irritation persists: Get medical help.
- Collect spillage.
- Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler. Do not use empty containers for any other purpose.

RELEVANT SUBSTANCES:

This product contains Alcohol ethoxylate >60% and Ethylene Mono butyl ether 10%.

SYMPTOMS OF HUMAN POISONING:

Causes irritation, redness and pain to the eyes. Irritating to the skin and respiratory tract. Ingestion may result in the development of nausea, vomiting and diarrhoea.

FIRST AID TREATMENT:

Inhalation:

Remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Do **NOT** give mouth-to-mouth resuscitation if victim ingested or inhaled the substance. Keep person at rest and warm. Treat symptomatically and supportively as and when required. Obtain medical advice if necessary.

Ingestion:

Have victim rinse mouth thoroughly with water. Give 1/2 to one glass of water to dilute the material if victim is alert and not convulsing. Do **NOT** induce vomiting. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomits, rinse mouth and administer more water. Never give anything by mouth to an unconscious person. Qualified medical personnel should perform administration of oxygen. Seek medical advice immediately.

Skin Contact:

Remove any contaminated clothing. Wash skin with soap or mild detergent and water for at least 15 minutes. Get medical attention if irritation develops or persists. Wash clothing before re-use. Do **NOT** rub the skin hard.

Eye Contact:

Immediately flush eyes with lukewarm water or saline solution for at least 15 minutes, lifting lower and upper eyelids occasionally to ensure rinsing of the entire surface of the eyes. Check for and remove contact lenses after the first 5 minutes. Get medical attention immediately.

NOTE TO PHYSICIAN:

Treat symptomatically. Rinse eyes with saline solution for 20-30 minutes.

DIRECTIONS FOR USE: Use only as directed.

MIXING INSTRUCTIONS:

AQUA-WET may be used with any spray or applied to any crop unless otherwise stated. Add the required quantity of **AQUA-WET** to the water and agitate thoroughly before adding other chemicals.

GENERAL NOTES:

- **AQUA-WET** is a concentrated wetting adjuvant.
- **AQUA-WET** improves the retention of the applied spray solution to plant surfaces.
- **AQUA-WET** is recommended for use with agricultural sprays and will not interfere with the suspensibility thereof.
- **AQUA-WET** reduces the surface tension of spray mixtures.
- **AQUA-WET** ensures the maximum distribution of spray mixtures over the plant foliage.
- **AQUA-WET** can be used with hard and soft waters.

RECOMMENDED RATES:

APPLICATION	DOSAGE	REMARKS
Fungicides	0,006- 0,018 % 6 - 18 ml / 100 l water	Use higher concentrations on plants with highly waxed or thick cuticle. Use higher concentrations where the diseases are particularly hard to wet.
Insecticides	0,006 - 0,018 % 6 - 18 ml / 100 l water	Use higher concentrations on plants with highly waxed or thick cuticle. Use higher concentrations where the insects are particularly hard to wet.
Foliar feeds	0,006- 0,018 % 6 - 18 ml / 100 l water	Use higher concentrations on plants with highly waxed or thick cuticle.
Herbicides	0,06 % 60 ml / 100 l water	Observe caution when using AQUA-WET with any herbicide as the improved wetting and sticking properties may change the selectivity of the herbicide and increase the risk of damage to the crop.