

# Xseed™ - Dri SD



SEED  
TREATMENT

Reg. No. B5651 Act No. 36 of 1947

Reg. No. N-F 1890 Act No. 36 of 1947

## FERTILIZER GROUP 2

**READ LABEL BEFORE USE.  
KEEP OUT OF REACH OF CHILDREN AND ANIMALS.**

XSEED™-DRI SD is a powder seed application containing micro-elements.



## WARNING

Zinc	(Zn)	288 g/kg
Phosphorus	(P)	88 g/kg
Manganese	(Mn)	52 g/kg
Calcium	(Ca)	31 g/kg
Molybdenum	(Mo)	12 g/kg

Scoop included to easily measure 30 g XSEED-DRI SD.

## HAZARD STATEMENTS:

Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.

## PRECAUTIONARY STATEMENTS:

Avoid release to the environment.  
Collect spillage.

Registered, Manufactured and Distributed by: Rolfes Agri (Pty) Ltd.  
(Reg. No. 1998/013411/07) • 288 Mundt Street, Walfloo, 0184  
Gauteng, RSA. • Tel: (012) 803-0145

### Emergency contact details

Office Hour Poisoning Helpline  
Rolfes Agri (Pty) Ltd.  
Tel: +27 (12) 803 0145

**Rolfes**   
**Agri**

### Spill Response and Transport incidents

Spill Tech, Oil and chemical pollution control  
Tel: +27 (86) 100 0366 / +27 (83) 253 6618  
[www.spilltech.co.za](http://www.spilltech.co.za)



LIFT HERE

**PRECAUTIONS:**

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Avoid release to the environment.
- Collect spillage.
- Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.
- Avoid application under extreme climate conditions.
- Clean all equipment before and after use.
- Do not use treated seed for human or animal consumption.

**RELEVANT HAZARDOUS SUBSTANCES:**

Zinc Phosphate > 60 %.

**Storage:**

Keep in a cool dry chemical store, out of reach of children and livestock. Protect from frost and heat extremes.

**DIRECTIONS FOR USE: USE ONLY AS DIRECTED**

- To be used only as a seed dressing.
- Do not exceed the appropriate application rates.
- To be used only when recommended by a suitably qualified person.
- Only use seeds of high quality.
- Ensure that the seed is completely dry.
- Use the 250 ml jug included for easy measurement.
- A level filled jug contains 250 ml contains 150 g of **XSEED-DRI SD**.

**APPLICATION INSTRUCTIONS:**

ALWAYS FOLLOW THE LABEL RECOMMENDATIONS.

**Seed hopper application:**

Sprinkle a thin layer to cover the bottom of the seed bin. Apply in layers between the seed in the bin as the seed hopper is filled. Repeat this process with every refilling.

**Seed application:**

When using a seed treater to apply the product make sure the product is mixed thoroughly with the seed at the correct application rates. Do not apply water to the mixture. Apply as a dry application. The product contains enough sticking agent to cover to the seed.

**RECOMMENDATIONS: USE ONLY AS DIRECTED**

CROP	DOSAGE RATE	
	GRAM/KG	SCOOP PER 10 KG
Barley	6 g / kg seed	2 scoops per 10 kg seed
Canola	6 – 9 g / kg seed	2 - 3 scoops per 10 kg seed
Dry Beans	3 g / kg seed	1 scoop per 10 kg seed
Groundnuts	3 g / kg seed	1 scoop per 10 kg seed
Lucerne	6 – 9 g / kg seed	2 -3 scoops per 10 kg seed
Maize	3 g / kg seed	1 scoop per 10 kg seed
Oats	6 g / kg seed	2 scoops per 10 kg seed
Soya Bean	3 g / kg seed	1 scoop per 10 kg seed
Sunflower	3 g / kg seed	1 scoop per 10 kg seed
Wheat	6 g / kg seed	2 scoops per 10 kg seed