

Acticell[®] Citrus



Reg. No. B5005 Act No. 36 of 1947

FERTILIZER GROUP 2

**READ LABEL BEFORE USE.
KEEP OUT OF REACH OF CHILDREN AND ANIMALS.**

ACTICELL[®] CITRUS is a suspension concentrate fertilizer for use as a foliar feed to maintain or increase calcium, zinc, manganese, copper, and boron levels in plants.



DANGER

Zinc	(Zn)	101 g/kg	(149 g/ℓ)
Calcium	(Ca)	52 g/kg	(77 g/ℓ)
Boron	(B)	42 g/kg	(62 g/ℓ)
Copper	(Cu)	25 g/kg	(37 g/ℓ)

SG (@ 20 °C) = 1.48 ±0.02

HAZARD STATEMENTS:

Causes serious eye damage.
Harmful if inhaled.
May damage fertility or the unborn child.
Very toxic to aquatic life.
Very toxic to aquatic life with long-lasting effects.

PRECAUTIONARY STATEMENTS:

Avoid breathing dust/fumes/gas/mist/vapours/spray.
Avoid release to the environment.

Emergency contact details

Office Hour Poisoning Helpline
Rolfes Agri (Pty) Ltd.
Tel: +27 (12) 803 0145

Registered, Manufactured and Distributed by: Rolfes Agri (Pty) Ltd.
(Reg. No. 1998/013411/07) • 288 Mundt Street, Waitloo, 0184
Gauteng, RSA. • Tel: (012) 803-0145

Spill Response and Transport incidents

Spill Tech, Oil and chemical pollution control
Tel: +27 (86) 100 0366 / +27 (83) 253 6618
www.spilltech.co.za

Rolfes
Agri

Shake well before use • Store at room temperature
Keep out of direct sunlight • Keep container closed when not in use



PRECAUTIONS:

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Obtain, read and follow all safety instructions before use.
- Avoid breathing dust/fumes/gas/mist/vapours/spray .
- Wash hands and affected area thoroughly after handling. Do **NOT** touch eyes.
- Use only outdoors or in a well ventilated area.
- Avoid release to the environment.
- Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- IF exposed or concerned, get medical advice.
- Collect spillage.
- Store locked up.
- Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

RELEVANT HAZARDOUS SUBSTANCES:

Boric Acid <30%, Zinc Oxide <30%, Copper Hydroxide <10%.

FIRST AID TREATMENTS:

- **General Advice:** The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention.
- **Eye contact:** Flush eyes immediately with flowing cold water for 15 - 20 minutes, until no

evidence of chemical remains. If irritation persists, get medical help.

- **Skin contact:** Remove all contaminated clothing and shoes. Gently wipe off residual chemical and wash skin thoroughly with non-abrasive soap.
- **Inhalation:** Remove the affected victim from exposure to an area with fresh air. If breathing has stopped, administer artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If irritation persists, get medical help.
- **Ingestion:** If exposed or concerned, rinse mouth thoroughly with large amounts of water and get treatment advice.
- For optimum results **ACTICELL CITRUS** should be used in a program and in combination with other balanced fertilizers and foliar feeds.
- Consult with your chemical distributor should crop specific programs or any other information be required about the use of **ACTICELL CITRUS**.
- It is advisable to do a miscibility test prior to mixing with other chemicals.
- Ensure thorough agitation of the product during filling and spraying. Always use spray tank strainers when pouring product into spray tank. The spray tank must be flushed out with clean water at the end of the day.
- **ACTICELL CITRUS** should preferably be applied in the early morning or late afternoon. Do not apply to wet fruit. Do not apply to plants that are undergoing a period of moisture or heat stress.
- Shake the container thoroughly before use.
- Use lower rates as maintenance and higher rates to correct deficiencies.
- Store in the original, well sealed container away from sunlight. Keep away from children, uninformed people, animals and foodstuffs. Wash hands after use.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

CROP	RATE PER HECTARE	RATE PER 100 ℓ WATER	REMARKS
Citrus	4 – 8 ℓ	300 mℓ	Apply the first application after 100 % petal drop. Repeat every 4 weeks. Apply a maximum of 3 applications per season.