

Acticell[®] Citrus Plus



Reg. No. B5301, Act No 36 of 1947

Fertiliser Group 2

Is a suspension concentrate fertilizer for use as a foliar feed to maintain or correct Calcium, Zinc, Manganese and Boron levels in plants.



Zinc (Zn)	84 g/kg	(123 g/ℓ)
Calcium (Ca)	42 g/kg	(62 g/ℓ)
Boron (B)	34 g/kg	(50 g/ℓ)
Copper (Cu)	20 g/kg	(29 g/ℓ)
Manganese (Mn)	27 g/kg	(40 g/ℓ)

SG (@ 20 °C) = 1,47 ± 0.02



Acticell
Optimising Genetic Potential

SHAKE WELL
Keep out of direct sunlight — Keep container closed when not in use



LIFT HERE

Rolfes
Agri

Registered, Manufactured and Distributed by:
Rolfes Agri (Pty) Ltd.
(Reg. No. 1998/013411/07)
288 Mundt Street, Waltloo, 0184, Gauteng, RSA.
Tel: (012) 803-0145 • Fax: (012) 803-8418
www.rolfesagri.co.za

UN NO.: 3082
SEE CONTAINER FOR BATCH DETAILS
COUNTRY OF ORIGIN: REPUBLIC OF SOUTH AFRICA
VERSION ROLFES AGRIC: 01/2021



Acticell

Optimising Genetic Potential

- For optimum results **ACTICELL CITRUS PLUS** should be used in a programme and in combination with other balanced fertilisers and foliar feeds.
- It is advisable to do a miscibility test prior to mixing with other chemicals.
- Consult with your chemical distributor should crop specific programmes or any other information be required about the use of **ACTICELL CITRUS PLUS**.
- Ensure thorough agitation of the product during filling and spraying. Always use spray tank strainers when pouring product into spray tank. The spray tank must be flushed out with clean water at the end of the day.
- **ACTICELL CITRUS PLUS** should preferably be applied in the early morning or late afternoon. Do not apply to wet fruit. Do not apply to plants that are undergoing a period of moisture or heat stress.
- Ensure good agitation throughout application.
- Store in the original, well-sealed container away from sunlight. Keep away from children, uninformed people, animals and foodstuffs. Wash hands after use.
- Use lower rates as maintenance and higher rates to correct deficiencies.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

CROP	RATE PER HECTARE	RATE PER 100 ℓ WATER	REMARKS
Citrus	4 – 8 ℓ	300 mℓ	Apply the first application after 100% petal drop. Repeat every 4 weeks. Apply a maximum of 3 applications per season.