WWW.ROLFESAGRI.CO.ZA

Rolfes Agri (Pty) Ltd VAT No: 4770176081 (Reg. No. 1998/013411/07)



SAFETY DATA SHEET	Hazard statements: H226: Flammable liquid and vapour.			
	H315: Causes skin irritation.			
1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	H318: Causes serious eye damage.			
IDENTIFICATION				
Product Name: CARBOLOGY CALMAG	Precautionary statements:			
Other identifier: CARBOLOGY CALMAG	P101: If medical advice is needed, have product container			
Recommended use: Fertilizer	or label at hand.			
Restrictions on use: Agriculture	P102: Keep out of reach of children.			
Supplier Rolfes Agri (Pty) Ltd	P103: Read carefully and follow all instructions.			
288 Mundt Street	P210: Keep away from heat, hot surfaces, sparks, open			
Waltloo	flames and other ignition sources. No smoking.			
Pretoria, South Africa	P233: Keep container tightly closed.			
Telephone: +27(0)12 803 0145	P240: Ground and bond container and receiving			
E-mail Address: info@rolfesagri.co.za	equipment.			
Emergency Phone Numbers:	P241: Use explosive-proof [electrical/ventilating/lightning]			
Office hour poisoning helpline	equipment.			
Rolfes Agri (Pty) Ltd +27 (12) 803 0145	P242: Use non-sparking tools.			
Spill Response and Transport Incidents	P243: Take action to prevent static discharges.			
Spill Tech, 086 100 0366, <u>www.spilltech.co.za</u>	P264 + P265: Wash hands and affected area thoroughly			
Oil and chemical pollution control 083 253 6618	after handling. Do not touch eyes.			
2. HAZARDS IDENTIFICATION	P280: Wear protective gloves/protective clothing/eye			
	protection / face protection / hearing protection.			
GHS classification and labelling of chemicals and the	P302 + P352: IF ON SKIN: Wash with plenty of water.			
Regulations for Hazardous Chemical Agents - 2021.	P303 + P361 + P353: IF ON SKIN (or hair): Take off			
Hazard class Hazard category H-statement	immediately all contaminated clothing. Rinse affected areas with water [or shower].			
Physical	P305 + P354 + P338: IF IN EYES: Immediately rinse with			
Flammable Liquid Category 3 H226	water for several minutes. Remove contact lenses, if			
Health	present and easy to do. Continue rinsing.			
Skin Irritation Category 2 H315	P317: Get medical help.			
Serious Eye Category 1 H318	P321: Specific treatment (see first aid on this SDS).			
Damage	P332 + P317: If skin irritation occurs: Get medical help.			
	P362 + P364: Take off contaminated clothing and wash it			
The most important adverse effects:	before reuse.			
Physiochemical effects:	P370 + P378: In case of fire: Use appropriate media to			
Flammable liquid and vapour. (Flam. Liq. 3)	extinguish.			
	P403 + P235: Store in a well-ventilated place. Keep cool.			
Human health effects:	P501: Empty all pesticides from the container by placing it			
Causes skin irritation. (Skin Irrit. 2)	upside down over the spray tank and holding it there for at			
Causes serious eye damage. (Eye Dam. 1)	least 30 seconds. Puncture the rinsed container to render			
- 1 /	it useless and send to a recycler.			
Pictograms:				
	Special labelling of certain mixtures:			
	None known.			
< (7) >< ! >< # &>	Other hazards:			
$\forall \forall \vee \vee$	None known.			
	Toxicity:			
Signal word: Danger.	Classification according to GHS: Not classified.			

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients with Hazard Concerns (GHS): According to UN GHS criteria

Hazardous Component	CAS Number	Conc. (m/v) %	GHS Classification
Acetic Acid	64-19-7	10 to 30%	Flam. Liq. 3 (H226) Skin Irrit. 2 (H315)
Limbux Lime	1305-62-0	<10%	Skin Irrit. 2 (H315) Eye Dam. 1 (H318)

4. FIRST AID MEASURES

General Advice: The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention. Provide this SDS to medical personnel for treatment. Immediately remove contaminated clothing and remove the affected person from the contamination area. Keep the person warm, calm, and covered up. First Aid personnel should pay attention to their own safety.

Eye contact: Flush eyes immediately with large amounts of flowing cold water for 15-20 minutes, until no evidence of chemical remains. If irritation persists, get medical help.

Skin contact: Remove all contaminated clothing and shoes immediately. Gently wipe off residual chemical and wash skin thoroughly with non-abrasive soap. If irritation or rash persists, get medical help.

Inhalation: Remove the affected victim from exposure to an area with fresh air. If breathing has stopped, administer artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Ingestion: If exposed or concerned, rinse mouth thoroughly with large amount of water and get medical advice.

Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11. **Notes to physician:** In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under

delayed. The exposed person may need to be kept under medical surveillance for 48 hours. **Specific treatments:** Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use carbon dioxide, dry chemical for small fires and alcohol resistant foam or water fog for large fires. Do not use water jets. Specific hazards arising from the chemical including thermal decomposition products: No information available. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Special protective equipment and precautions for firefighters: Firefighters must wear emergency equipment including positive pressure self-contained breathing apparatus with a full-face mask. Remove unaffected containers from fire area if possible.

Additional provisions: Act in accordance with the site's Internal Emergency Plan and the Workplace Specific Procedures for actions to be taken after an accident or other emergencies.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Ventilate the area of the spill or leak, especially when in confined areas. Do not touch or walk through spilled material as slippery when spilt. Contain spills if it can be done without risk and clean-up immediately.

Wear appropriate protective clothing recommended in Section 8 of the SDS.

Environmental Precautions:

Prevent spillage or further leakage if safe to do so.

Do not allow the spilt product to enter water courses and drains and avoid contact with soil. Do not allow the spilt product to spread to other areas - keep the spilt material contained and isolated. Report spills and releases as required to appropriate authorities if the spilt product has caused environmental pollution (sewers, water ways, soil or air).

Methods for cleaning up:

For small spills, soak up with damp earth or sand, or other non-Combustible absorbent material. Place into a labelled waste container subsequent reclamation or disposal. Keep the wash water out of drains, sewers and waterways.

For large spills, contain the spillage with absorbent material (non-combustible for flammable products). Sweep up with absorbent material, contain and collect spilt product in suitable containers for proper disposal. Keep the wash water out of drains, sewers, and waterways.

Reference to other sections:

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE REQUIREMENTS

Precautions for safe handling

Always provide good ventilation in the work area. Prevent contact with eyes, skin and clothing. Do not breathe in dust. Wear protective clothing and equipment during handling as described in Section 8 of the SDS.

Do not eat or drink during use. Wash the hands and face thoroughly with soap after handling. Keep containers closed when not in use. Do not permit smoking in use or storage areas. Locate emergency showers and eye-rinsing facility near the work/handling area. Maintain good normal industrial hygiene and housekeeping practices in areas where the product is used/handled. Conditions for safe storage, including any incompatibilities Always store locked up and keep containers tightly closed when not in use. Store in a cool, dry, and well-ventilated place, out of direct sunlight. Check storage containers regularly for leaks and protect containers from physical					immediately in case of damage or signs of wear. The personal protective clothing must be properly fitted and well maintained. Eye/Face Protection: Select safety eye/face protection based on the task being performed and the risks involved with the task. Wear tightly fitted and well-maintained safety eyewear compliant with an approved standard. Hygiene Measures: Wash the hands and/or face before breaks, eating, smoking, or using the lavatory and at the end of the shift/working period. Eye wash fountains and safety showers should be available and easily accessible. Wash contaminated clothing before reuse. 9. PHYSICAL AND CHEMICAL PROPERTIES Appearance/physical state: Soluble Liquid. Odour: Pungent odour. Colour: Yellow. Boiling Point: >100°C. Vapour Pressure (mm Hg): Not applicable. Evaporation Rate: Not applicable. Relative Vapour Density: Not applicable. Solubility in water: Soluble in water. Decomposition temperature: Not applicable. Melting point/freezing point: Not available. pH: 5.0			
damage. Store in the original container, avoid cross contamination with other agricultural products. Keep out of reach of children, uninformed persons, and animals. Do not contaminate water, food, or feed by storage or disposal.								
It is recommended to have appropriate spill control kits equipped with absorbent material in close proximity to storage areas (see Section 6). Specific end use(s) Use as directed. Use original container. 8. EXPOSURE CONTROL / PERSONAL PROTECTION								
National Occupational Exposure Limits – Restricted limits for hazardous chemical agents.				Restricted	Density/relative density(g/ml): 1.23 Flammability: Flammable liquid. Flash Point: >60°C Flammable limits-LEL: Not applicable.			
Component	Туре	Control Parameter	Update	Reference	Auto-ignition temperature: Not applicable. Viscosity: Not available.			
Not applicable	OEL- eight hour TWA OEL- STEL/C	N/A N/A	2021	South African RELs [*] South African	10. STABILITY AND REACTIVITY Reactivity: No hazardous reactions are expected because the product is stable at normal conditions. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage			
Appropriate engineering controls: Good general ventilation should be sufficient to control worker exposure to airborne contaminants. PERSONAL PROTECTIVE EQUIPMENT: Description production of the provide term of te			ontrol worke	d general er exposure	and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. Conditions to Avoid: Avoid increase in temperature. Incompatible Materials: Avoid acids. Hazardous Decomposition Products: Under norma conditions of storage and use, hazardous decomposition products should not be produced.			
Respiratory protection: Respiratory protection selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted and well- maintained particulate filter respirator, complying with an approved standard. Respirator selection and use should be based on contaminant type, form, and concentration. For emergency conditions, use an approved positive- pressure colf contained broathing approxeture.			bated exposise safe worki operly fitted tor, complyitection and rm, and com an approve	sure levels, ng limits of l and well- ng with an use should ncentration.				
pressure self-contained breathing apparatus. Skin and Hand Protection: Select skin and hand protection based on the task being performed and the risks involved with the task. The gloves should be replaced				nd the risks	11. TOXICOLOGICAL INFORMATION			

ACUTE	TOXICITY: C	alculated.			Proper	E LIQUID,	E LIQUID,	E LIQUID,	E LIQUID,	
Acute To	oxicity Oral:	Not classified	ł.		Shipping	N.O. S	N.O. S	N.O. S	N.O. S	
		al: Not classi			Name Transport	3	3	3	3	
		ation: Not cla			Hazard		5	3	5	
	,,,				Class					
Skin Cor	rosion/Irrita	tion/: Causes	s skin irritatio	n.	Transport					
		n: Causes se			Hazard Class		\sim			
		Not classified.		mager	Pictogram	V	~	~	V	
		ation: Not cl			Packing	ш	III	III	III	
		city: Not class			Group					
	genicity: Not		Sinca.							
	-	y: Not classifi	iod		15 DEC		NFORMATIC			
		an toxicity –		Seuro Not		ULATURTI		JN		
classified		in toxicity –	Single exp	boure. Not		aalth and a	n vire non ont	- I		
		n toxicity – re	anastad avn	osuro. Not			nvironmenta			
classified			epealed exp	osure. Not			on for the m	ixture.		
		lot classified.			South A				0004 04	
			raigal abor	ningl and			rdous Chem			
		to the phy	Sical, Cher	incai, anu			and Safety			
	gical charac nation availal						ets for hazar			
INO INIOM	nation availat	ole.					ures. Occupa			
			-				ces Act, 197			
12. ECO	LOGICAL IN	IFORMATION	N				he prohibitio			
							ture, sale, us			
ECOTO		A: Not availab	le.		modificat		sal or du			
						substances. Occupational Health and Safety Act No. 85 of				
ENVIRO	NMENTAL E	EFFECTS:			1993 Occupational Health and Safety Standards for					
Plants: N	No available.						s working with			
Persiste	nce and dec	gradability: N	lot available.		chemical substances. National Road Traffic Act, 1996					
Bio-accu	umulative Po	otential: Not e	expected.		(ACT NO. 93 of 1996) The identification and					
Mobility in soil: Not available.			classification of dangerous goods for transport by road and							
Other ad	dverse effec	cts: Accordin	g to the crit	eria of the	rail modes.					
Europear	n classifica	tion and l	abelling sy	stem, the						
		equire classifi		zardous for						
the enviro	onment.	•			(2006) - Control and management of pesticides and other					
					toxic substances. Environmental and Pollution Control Act.					
13. DISP	OSAL CON	SIDERATION	IS		1990 - Hazardous waste disposal, hazardous substances,					
					pesticides, and effluent wastewater/discharge.					
Waste h	andling and	l disposal·	Dispose proc	luct related	Namibia					
Waste handling and disposal: Dispose product related waste in accordance with all local regulations and prevent			Labour Act 11 of 2007 - Hazardous substances							
the contamination of water, food, or feed by storage or			classification, labelling, Chemical Safety Data Sheets and							
					ire Limits. No					
disposal of the waste. The product container/bags may be				•	er controlled s					
taken to a registered waste disposal site or incineration			Regulations relating to the Health and Safety of							
	plant. General container handling: Empty all pesticides from				Employees at Work Government Notice 156 of 1997.					
		ng it upside d								
					Health and Safety Standards for employers and users					
and holding it there for at least 30 seconds. Puncture the										
rinsed container to render it useless and send to a						and and all				
recycler.										
					16. UTH	ER INFORM	IATION			
14. TRANSPORT INFORMATION					Dealers		in 0.1 0.0 0		10 00 05	
	•	•					in 0.1, 0.2, 0			
	Land	Inland	Sea	Air			plastic conta		•	
	Transport (ADR/RID)	Waterways (AND/ADNR)	Transport (IMDG)	Transport (ICAO-TI /			ig to South A	irican regulat	ions and	
				IATA-DGR)	guideline	S.				
UN	1993	1993	1993	1993	TL.					
Number			-	-		t classificat	ion and H-St	tatements:		
UN	FLAMMABL	FLAMMABL	FLAMMABL	FLAMMABL						

Flammable Liquid - Category 3 H226: Flammable liquid and vapour.

Skin Irritation – Category 2 H315: Causes skin irritation.

Serious Eye Damage – Category 1 H318: Causes serious eye damage.

Key to Abbreviations

AND European Provisions concerning the International Carraige od Dangerous Goods by inland Waterways ADR The European Agreement concerning the International Carraige of Dangerous Goods by Road ATE Acute Toxicity Estimate COD Chemical Oxygen Demand GHS Globally Harmonised System of Classification and Labelling of Chemicals ΙΑΤΑ International Air Transport Association **ICAO** International Civil Aviation Organisation IMDG International Maritime Dangerous Goods Logarithm of the octanol/water partition coefficient Log_{Pow} LD₅₀ Lethal Dose 50 LC₅₀ Lethal Concentration 50 RID The Regulations concerning the International Carraige of Dangerous Goods by Rail SDS Safety Data Sheet UN United Nations

Notice to Reader

The information contained in this Safety Data Sheet relate only to the specific product and do not relate to the use of the product in combination with any other product or process. Information in the SDS is supplied to the best of **ROLFES AGRI (PTY) LTD's** knowledge and are believed to be current and correct as of the date on this SDS. All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

The SDS only provides information applicable to the health, safety and environmental hazards of this product at the date of issue in order to facilitate the safe use, handling, storage and transport of this product and does not replace any product information or product specifications.

It is not possible for **ROLFES AGRI (PTY) LTD** to anticipate or control all conditions under which this product, this product may be used, handled, stored or transported. The obligation of the user, receiver, handler or transporter remains to review the content of the SDS prior to potentially exposing persons/employees to the product and to consider any risks that may associated with the hazards of the product during use, handlings, storage or transportation. Appropriate health, safety and

environmental protection risk mitigating measures must be in place and such information must be communicated to all persons that might be involved with and exposed to this product.

Disclaimer:

ROLFES AGRI Proprietary Limited provides the information contained herein in good faith, however, the information and recommendations are presented without warrant, representation or license of any kind, expressed or implied, with respect to the accuracy, correctness or its comprehensiveness, or assume any liability for incomplete information contained herein or any advice given. The seller, supplier and manufacturer of the material and their respective affiliates (collectively, the "supplier") disclaim all liability for reliance on such information and recommendations.

This document is intended only as a guide to the appropriate precautionary handling and use of the product by a properly trained person. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale. Accordingly, Rolfes Agri Proprietary Limited will not be responsible for damages resulting from use or reliance upon this information.

END OF SAFETY DATA SHEET