

FERRO- SUPER



Reg. No. B4915 Act No. 36 of 1947

READ LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

FERTILIZER GROUP 2

Ferro-Super is a high purity water soluble 6 % Fe EDDHA chelate powder for use as a soil application to correct iron deficiencies in crops as listed.

Not classified as hazardous according to GHS

ACTIVE INGREDIENT

Iron* (Fe) 60 g/kg

*EDDHA Chelated

Emergency contact details
Office Hour Poisoning Helpline
Rolfes Agri (Pty) Ltd.
Tel: +27 (12) 803 0145

Registration holder: Rolfes Agri (Pty) Ltd.
(Reg. No. 1998/013411/07) • 288 Mundt Street, Waltloo, 0184,
Gauteng, RSA. • Tel: (012) 803-0145

Rolfes 
Agri

Spill Response and Transport incidents
Spill Tech, Oil and chemical pollution control
Tel: +27 (86) 100 0366 / +27 (83) 253 6618
www.spilltech.co.za

Shake well before use • Store at room temperature
Keep out of direct sunlight • Keep container closed when not in use



PRECAUTIONS:

- If medical advice is needed, have container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Avoid applications under climate extremes.
- Do not exceed the appropriate application rates.
- To be used only where there is a recognized need.

GENERAL:

FERRO-SUPER is recommended for use as a soil application where iron levels are low or deficient according to soil samples. **FERRO-SUPER** can be applied on all soil types, but is most effective on soils with pH > 7.5.

Consult with a qualified Agronomist or Agricultural Advisor on the necessity of this product before applying this fertilizer

Consult with your chemical distributor, consultant or the registration holder should crop specific programmes or any other information be required around the use of **FERRO-SUPER**. For optimum results **FERRO-SUPER** should be used in a balanced foliar feeding programme.

COMPATIBILITY:

Read all labels carefully. It is advisable to do a miscibility test prior to mixing **FERRO-SUPER** with other fertilizers and agrochemicals.

STORAGE:

Keep in a cool dry chemical store, out of reach of children, uninformed people, animals and foodstuffs. Store in a well-sealed container away from direct sunlight.

DIRECTIONS FOR USE: Use only as directed.

SOIL APPLICATION:

- **FERRO-SUPER** should be dissolved in a sufficient volume of water to give a 0,1 – 1,0 % solution (1 - 10 g / ℓ ; 1 - 10 kg / 1000 ℓ) and applied as a coarse spray or by watering in the area of the feeding roots.
- Alternatively, sprinkle on as a dry powder, mixed with sand or soil.
- Application should be at the rates recommended.
- Incorporate into the top few centimetres of soil as soon as possible after application.
- Application may be made prior to sowing or planting.

RECOMMENDATIONS:

CROP	DOSAGE RATE	REMARKS
Vegetable Crops	500 – 1000 g / ha	See Soil Application .
Apples, Pears	Up to 25 – 125 g / tree	See Soil Application .
Citrus	5 – 25 g / tree	Young trees (1 – 3 years). Maintenance applications.
	20 – 50 g / tree	Young trees. Moderate to severe deficiency.
	50 – 150 g / tree	Mature trees. Maintenance application.
	200 – 500 g / tree	Mature trees. Moderate to severe deficiency.
Grapevines	7,5 – 15 g / vine	See Soil Application .
Stone Fruit (Apricots, Cherries, Nectarines, Peaches, Plums)	Up to 25 – 125 g / tree	Use lower rates on young trees. See Soil Application .
Ornamentals (Azaleas, Rhododendrons, Roses)	5 – 50 g / plant	See Soil Application .
Macadamias	25 – 150 g / tree	Use lower rates on young trees. See Soil Application .
Maize	1 – 5 kg / ha	See Soil Application .
Sugarcane	5 – 10 kg / ha	See Soil Application .
Figs	20 – 40 g / tree	Use lower rates on young trees.
Olives	20 – 80 g / tree	Use lower rates on young trees.
Pomegranates	10 – 20 g / tree	Use lower rates on young trees.

*Actual quantities required will depend on plant size and degree of deficiency.

For foliar feeds containing iron, contact **Rolfes Agri (Pty) Ltd.** or nearest product distributor.