WWW.ROLFESAGRI.CO.ZA

Rolfes Agri (Pty) Ltd VAT No: 4770176081 (Reg. No. 1998/013411/07)



SAFETY DATA SHEET	Hazard statements: H316: Causes mild skin irritation.		
1. CHEMICAL PRODUCT AND COMPAN IDENTIFICATION			
Product Name:INTELI-BUFF 7Other identifier:INTELI-BUFF 7Recommended use:AdjuvantRestrictions on use:AgricultureSupplierRolfes Agri (Pty) Ltd288 Mundt StreetWaltlooPretoria, South Africa	<ul> <li>Precautionary Statements:</li> <li>P101 If medical advice is needed, have container or label at hand.</li> <li>P102 Keep out of reach of children.</li> <li>P103 Read carefully and follow all instructions.</li> <li>P264 + P265 Wash hands and affected area thoroughly after handling. Do not touch eyes.</li> <li>P280: Wear eye protection/face protection.</li> <li>P305 + P354 + P338: IF IN EYES: Immediately rinse with</li> </ul>		
Telephone:+27(0)12 803 0145E-mail Address:info@rolfesagri.co.zaEmergency Phone Numbers:Tygerberg Poison Information CentreTel: +27 861 555 777Spill Response and Transport IncidentsSpill Response and Transport IncidentsSpill Tech,Oil and chemical pollution control083 253 6618	<ul> <li>water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P317 Get medical help.</li> <li>P332 + P317 If skin irritation occurs: Get medical help.</li> <li>P501 Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.</li> </ul>		
2. HAZARDS IDENTIFICATION         GHS classification and labelling of chemicals and the Regulations for Hazardous Chemical Agents - 2021.         Hazard class       Hazard category         Health         Skin Irritation       Category 3	Special labelling of certain mixtures: None known. Other hazards: None known. Toxicity: Classification according to GHS: Not Classified.		
Serious Eye Category 1 H318 Damage H318	3. COMPOSITION / INFORMATION ON INGREDIENTS		
The most important adverse effects: Physiochemical effects: None known.	Ingredients with Hazard Concerns (GHS): According to UN GHS criteria		
Human health effects: Causes mild skin irritation (Skin Irrit. 3)	HazardousCASConc.GHSComponentNumber(m/v) %ClassificationPhosphoric7664-38-2<10%Metal Corr. 1		
Causes serious eye damage (Eye Dam.1) Pictograms:	Acid Acute Oral. 4 Eye damage. 1 Skin Corr. 1B		
	Alkyl polyglucosid e68515-73- 1<10%Skin Irrit. 2 Eye Dam. 1 Acute Oral. 4 Aquatic Chronic 3NOTE: There are no other ingredients present according		

Signal word: Danger

NOTE: There are no other ingredients present according to the current knowledge of the supplier (considering their concentrations present in the product) that are classified as hazardous to health or the environment and that cause/contribute to the correct GHS classification of this

product. These ingredients are therefore, in terms of the South African Hazardous Chemical Agent Regulations 2021; Regulation 14(b), not listed.	Ventilate the area of the spill or leak, especially when in confined areas. Do not touch or walk through spilled material as slippery when spilt. Contain spills if it can be done without risk and clean-up immediately. Wear appropriate protective clothing recommended in
4. TINGT AID MERSONES	Section 8 of the SDS.
<ul> <li>General Advice: The symptoms resulting from direct exposure to the product could appear a while after exposure. If persistent discomfort, seek medical attention. Provide this SDS to medical personnel for treatment. Immediately remove contaminated clothing and remove the affected person from the contamination area. Keep the person warm, calm and covered up. First Aid personnel should pay attention to their own safety.</li> <li>Eye contact: IF IN EYES: Immediately rinse with water for 15 – 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical help.</li> <li>Skin contact: If skin irritation occurs: Get medical help. Remove all contaminated clothing and shoes. Wash contaminated clothing before re-use. Rinse the skin immediately with plenty of water.</li> <li>Inhalation: Remove the affected victim from exposure to an area with fresh air as a precaution. If not breathing, administer artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.</li> <li>Most important symptoms/effects, acute and delayed:</li> </ul>	<ul> <li>Environmental Precautions:</li> <li>Prevent spillage or further leakage if safe to do so.</li> <li>Do not allow the spilt product to enter water courses and drains and avoid contact with soil. Do not allow the spilt product to spread to other areas - keep the spilt material contained and isolated. Report spills and releases as required to appropriate authorities if the spilt product has caused environmental pollution (sewers, water ways, soil or air).</li> <li>Methods for cleaning up:</li> <li>For small spills, soak up with damp earth or sand, or other non-Combustible absorbent material. Place into a labelled waste container subsequent reclamation or disposal. Keep the wash water out of drains, sewers and waterways.</li> <li>For large spills, contain the spillage with absorbent material (non-combustible for flammable products). Sweep up with absorbent material, contain and collect spilt product in suitable containers for proper disposal. Keep the wash water out of drains, sewers and waterways.</li> <li>Reference to other sections:</li> <li>See Section 1 for emergency contact information.</li> <li>See Section 8 for information on appropriate personal protective equipment.</li> </ul>
Symptoms of exposure to the product include skin irritation, eye irritation and vomiting.	See Section 13 for additional waste treatment information. 7. HANDLING AND STORAGE REQUIREMENTS
Notes to physician: Treat symptomatically and	7. HANDLING AND STORAGE REQUIREMENTS
supportively.	Precautions for safe handling
5. FIRE FIGHTING MEASURES	Do not return product residues to the storage containers.
<ul> <li>Suitable (and unsuitable) extinguishing media:</li> <li>Use carbon dioxide, dry chemical, alcohol resistant foam, or water spray. Do not use water jets.</li> <li>Specific hazards arising from the chemical including thermal decomposition products: Fires involving the product may produce irritating or poisonous vapours, mists, or other products of combustion.</li> <li>Special protective equipment and precautions for firefighters: Firefighters must wear emergency equipment including positive pressure self-contained breathing apparatus with a full-face mask. Remove unaffected containers from fire area if possible.</li> <li>Additional provisions: Act in accordance with the site's Internal Emergency Plan and the Workplace Specific Procedures for actions to be taken after an accident or other emergencies.</li> <li>6. ACCIDENTAL RELEASE MEASURES</li> </ul>	Always provide good ventilation in the work area. Prevent contact with eyes, skin and clothing. Do not breathe in dust/vapours/spray mists. Wear protective clothing and equipment during handling as described in Section 8 of the SDS. Do not eat or drink during use. Wash the hands and face thoroughly with soap after handling. Keep containers closed when not in use. Do not permit smoking in use or storage areas. Locate emergency showers and eye-rinsing facility near the work/handling area. Maintain good normal industrial hygiene and housekeeping practices in areas where the product is used/handled. <b>Conditions for safe storage, including any Incompatibilities</b> Always store locked up and keep containers tightly closed when not in use. Store in a cool, dry and well-ventilated place, out of direct sunlight. Check storage containers regularly for leaks and protect containers from physical damage. Store in the original container, avoid cross contamination with other agricultural products. Keep out of
emergency procedures:	reach of children, uninformed persons, and animals. Do not contaminate water, food, or feed by storage or

disposal. It is recommended to have appropriate spill control kits equipped with absorbent material in close proximity to storage areas (see Section 6). <b>Specific end use(s)</b> Use as directed. Use original container. <b>8. EXPOSURE CONTROL / PERSONAL PROTECTION</b>			bent mater ction 6). iner.	ial in close	personal protective clothing must be properly fitted and well maintained. <b>Eye/Face Protection:</b> Select safety eye/face protection based on the task being performed and the risks involved with the task. Wear tightly fitted and well-maintained safety eyewear compliant with an approved standard. <b>Hygiene Measures:</b> Wash the hands and/or face before breaks, eating, smoking, or using the lavatory and at the end of the shift/working period. Eye wash fountains and safety showers should be available and easily accessible. Wash contaminated clothing before reuse.
National Occupational Exposure Limits – Restricted limits for hazardous chemical agents.				Restricted	
Component	Туре	Control Parameter	. Update	Reference	Environmental exposure controls In accordance with the local legislation for the protection of
	OEL- eight- hour	N/A	2021	South African RELs <sup>*</sup>	the environment it is recommended to avoid environmental spillage or releases of both the product and its container.
N/A	TWA OEL- STEL/C	N/A	2021	South African RELs <sup>*</sup>	9. PHYSICAL AND CHEMICAL PROPERTIES Appearance/physical state: Liquid Odour: Pungent odour
*REL: Recommended Exposure Limit. OEL-eight-hour TWA: Occupational Exposure Limit- Time Weighted Average. Calculated over an eight-hour working day, for a five-day working week. OEL-STEL/C: Occupational Exposure Limit – short Term Exposure Limit /Ceiling Limit. Peak airborne concentration determined over the shortest analytically practicable period of time, which does not exceed 15 minutes. National Biological Exposure Indices (BEIs) for hazardous chemical agents:			me Weighte rking day, fo ort Term Ex ncentration cticable per	posure Limit determined iod of time,	Auto-ignition temperature: Not applicable.
Componen	Mat		Time		Viscosity: Not available.
Not applicableN/AN/AAppropriate engineering controls:Good general ventilation should be sufficient to control worker exposure to airborne contaminants.PERSONAL PROTECTIVE EQUIPMENT:Respiratory protection:Respiratory protection selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted and well- maintained particulate filter respirator, complying with an approved standard. Respirator selection and use should be based on contaminant type, form and concentration. For emergency conditions, use an approved positive- pressure self-contained breathing apparatus.Skin and Hand Protection:Select skin and hand protection based on the task being performed and the risks involved with the task. The gloves should be replaced immediately in case of damage or signs of wear. The			control work <b>PMENT:</b> tory protectic cipated exponent roperly fitte ator, comply election and orm and co an approv apparatus. Select skin performed a es should	on selection osure levels, king limits of d and well- ying with an use should oncentration. ed positive- and hand and the risks be replaced	<ul> <li>10. STABILITY AND REACTIVITY Reactivity: The product is stable under normal ambient conditions.</li> <li>Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight.</li> <li>Possibility of Hazardous Reactions: None known under conditions of normal use.</li> <li>Conditions to Avoid: Avoid extreme temperatures (&gt;50°C). Keep away from heat and ignition sources.</li> <li>Incompatible Materials: Incompatible with: Avoid strong oxidizing agents and acids.</li> <li>Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>

#### 11. TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY: Calculated. Acute Toxicity Oral: Not classified. Acute Toxicity Dermal: Not classified. Acute Toxicity Inhalation: Not classified. Skin Corrosion/Irritation: Causes mild skin irritation. Eye Damage/Irritation: Causes serious eye damage. Skin Sensitization: Not classified. Respiratory Sensitization: Not classified. Germ cell mutagenicity: Not classified. Carcinogenicity: Not classified. Reproductive toxicity: Not classified. Specific target organ toxicity – single exposure: Not classified.

Specific target organ toxicity – repeated exposure: Not classified.

Aspiration hazard: Not classified.

Symptoms related to the physical, chemical, and toxicological characteristics.

Causes eye irritation, skin irritation and vomiting.

## 12. ECOLOGICAL INFORMATION

#### **ECOTOXICITY DATA:** Active ingredient.

Short-term (Acute) hazard Aquatic: Does not meet GHS classification criteria.

Long-term (Chronic) hazard Aquatic: Poly Alkyl Glucoside 1.76 mg/L (nominal, active ingredient) for Daphnia magna 1.8 mg/L (nominal, active ingredient) for Danio rerio for 28d.

Therefore, Not classified for Aquatic Chronic Toxicity 3. <u>Biodegradability in the aquatic environment</u>: Readily biodegradable.

#### Toxicity to other species

Birds: No information available.

Bees: No information available.

**ENVIRONMENTAL EFFECTS:** 

Plants: No information available.

**Persistence and degradability:** Diammonium Phosphate Readily biodegradation study does not need to be conducted since the substance is inorganic. **Bio-accumulative Potential:** Diammonium Phosphate Simple inorganic salts with high aqueous solubility will exist in a dissociated form in an aqueous solution. Such a substance has a low potential for bioaccumulation.

Mobility in soil: Not information available.

Other adverse effects: No known significant effects or critical hazards.

# 13. DISPOSAL CONSIDERATIONS

Waste handling and disposal: Dispose product related waste in accordance with all local regulations and prevent

the contamination of water, food, or feed by storage or disposal of the waste. The product container may be taken to a registered waste disposal site or incineration plant.

**General container handling:** Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

## **14. TRANSPORT INFORMATION**

	Land Transport (ADR/RID)	Inland Waterways (AND/ADN R)	Sea Transport (IMDG)	Air Transport (ICAO-TI / IATA-DGR)
UN	Not	Not	Not	Not
Number	Regulated	Regulated	Regulated	Regulated
UN Proper Shipping Name	-	-	-	-
Transport Hazard Class	-	-	-	-
Transport Hazard Class Pictogram	-	-	-	-
Packing Group	-	-	-	-
Environme ntal Hazard	-	-	-	-

#### **15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation for the mixture. South Africa

Regulations for Hazardous Chemical Agents - 2021 - SA Occupational Health and Safety Act. - Handling, labelling and Safety Data Sheets for hazardous and GHS classified substances and mixtures. Occupational Exposure Limits. Hazardous Substances Act, 1973 (Act No.15 of 1973) -Requirements on the prohibition and control of the importation, manufacture, sale, use, operation, application, modification. disposal or dumping of hazardous substances. Occupational Health and Safety Act No. 85 of 1993.- Occupational Health and Safety Standards for employers and users working with and around hazardous chemical substances. National Road Traffic Act, 1996 (ACT NO. 93 of 1996). - The identification and classification of dangerous goods for transport by road and rail modes.

#### Botswana

Pesticides and Toxic Substances Regulations. 1994 (2006) - Control and management of pesticides and other toxic substances. Environmental and Pollution Control Act. 1990 - Hazardous waste disposal, hazardous substances, pesticides, and effluent wastewater/discharge.

# Namibia

Labour Act 11 of 2007 - Hazardous substances

classification, labelling, Chemical Safety Data Sheets and Occupational Exposure Limits. Notification of the use of carcinogens and other controlled substances. Regulations relating to the Health and Safety of Employees at Work Government Notice 156 of 1997. Labour Act 11 of 2007 schedule, item 2(2). - Occupational Health and Safety Standards for employers and users working with and around hazardous chemical substances.

## **16. OTHER INFORMATION**

**Packaging:** Packed in 1, 5, 10, 20, 25 and 210 L plastic containers; 5 and 20 L enviro pack and labelled according to South African regulations and guidelines.

#### Relevant classification and H-Statements:

Skin Irritation – Category 3 H316: Causes mild skin irritation.

Serious Eye Damage – Category 1 H318: Causes serious eye damage.

#### Key to Abbreviations

AND	European Provisions concerning the International Carraige od Dangerous Goods by inland Waterways
ADR	The European Agreement concerning the International Carraige of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
COD	Chemical Oxygen Demand
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
ΙΑΤΑ	International Air Transport Association
ICAO	International Civil Aviation Organisation
IMDG	International Maritime Dangerous Goods
Log <sub>Pow</sub>	Logarithm of the octanol/water partition coefficient
	Lethal Dose 50
LC <sub>50</sub>	Lethal Concentration 50
RID	The Regulations concerning the International
	Carraige of Dangerous Goods by Rail
SDS	Safety Data Sheet
UN	United Nations

#### Notice to Reader

The information contained in this Safety Data Sheet relate only to the specific product and do not relate to the use of the product in combination with any other product or process. Information in the SDS is supplied to the best of **ROLFES AGRI (PTY) LTD's** knowledge and are believed to be current and correct as of the date on this SDS. All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

The SDS only provides information applicable to the health, safety and environmental hazards of this product at the date of issue in order to facilitate the safe use, handling, storage and transport of this product and does not replace any product information or product specifications.

It is not possible for ROLFES AGRI (PTY) LTD to anticipate or control all conditions under which this product, this product may be used, handled, stored or transported. The obligation of the user, receiver, handler or transporter remains to review the content of the SDS prior to potentially exposing persons/employees to the product and to consider any risks that may associated with the hazards of the product during use, handlings, storage or transportation. Appropriate health, safetv and environmental protection risk mitigating measures must be in place and such information must be communicated to all persons that might be involved with and exposed to this product.

#### Disclaimer:

ROLFES AGRI Proprietary Limited provides the information contained herein in good faith, however, the information and recommendations are presented without warrant, representation or license of any kind, expressed or implied, with respect to the accuracy, correctness or its comprehensiveness, or assume any liability for incomplete information contained herein or any advice given. The seller, supplier and manufacturer of the material and their respective affiliates (collectively, the "supplier") disclaim all liability for reliance on such information and recommendations.

This document is intended only as a guide to the appropriate precautionary handling and use of the product by a properly trained person. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale. Accordingly, Rolfes Agri Proprietary Limited will not be responsible for damages resulting from use or reliance upon this information.

# END OF SAFETY DATA SHEET