

JoeMix



Reg. No. B3614 Act No. 36 of 1947

FERTILIZER GROUP 2

READ LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

JoeMix is a macro and micro element mixture for use as a foliar spray on potatoes, tomatoes and onions.



DANGER

Phosphorus	(P)	39,3 g/kg
Potassium	(K)	50,0 g/kg
Zinc	(Zn)	40,5 g/kg
Iron	(Fe)	16,7 g/kg
Manganese	(Mn)	3,5 g/kg
Boron	(B)	56,9 g/kg
Molybdenum	(Mo)	0,1 g/kg

HAZARD STATEMENTS:

Harmful if inhaled.
May damage fertility or the unborn child.
Toxic to aquatic life.

PRECAUTIONARY STATEMENTS:

Read carefully and follow all instructions.
If exposed or concerned, get medical advice.

Rolfes 
Agri

Registration holder: Rolfes Agri (Pty) Ltd.
(Reg. No. 1998/013411/07) • 288 Mundt Street, Waielloo, 0184,
Gauteng, RSA. • Tel: (012) 803-0145

Emergency contact details

Office Hour Poisoning Helpline
Rolfes Agri (Pty) Ltd.
Tel: +27 (12) 803 0145

Spill Response and Transport incidents

Spill Tech, Oil and chemical pollution control
Tel: +27 (86) 100 0366 / +27 (83) 253 6618
www.spilltech.co.za

Store at room temperature • Keep out of direct sunlight
Keep container closed when not in use



LIFT HERE

PRECAUTIONS:

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Obtain, read, and follow all safety instructions before use.
- Avoid breathing dust/fumes/gas/mist/vapours/spray.
- Use only outdoors or in a well-ventilated area.
- Avoid release to the environment.
- Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- Get medical help.
- IF exposed or concerned, get medical advice.
- Store locked up.
- Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

RELEVANT HAZARDOUS SUBSTANCES:

Boric Acid 30 to 60% and Fatty Alcohol Ethoxylate <10%.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

CROP	APPLICATION RATE PER HECTARE	REMARKS
Potatoes	4 kg	Apply at plant in the furrow.
Tomatoes	2 kg	Apply 2 weeks after transplant. Repeat during periods of active flowering. The application intervals can be shortened to 2 weeks when planting in high pH soils.
Onions	4 kg	Apply after boll initiation.

Consult with a qualified Agronomist or Agricultural Advisor on the necessity of using this fertilizer, before applying it.

FIRST AID TREATMENTS:

- **General Advice:** The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention.
- **Eye contact:** Flush eyes with large amount of flowing cold water for several minutes, until no evidence of chemical remains. If irritation persists, get medical help.
- **Skin contact:** Remove all contaminated clothing and shoes. Gently wipe off residual chemical and wash skin thoroughly with water and non-abrasive soap. If irritation persists, get medical help.
- **Inhalation:** Remove the affected victim from exposure to an area with fresh air. If breathing has stopped, administer artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If irritation persists, get medical help.
- **Ingestion:** If exposed or concerned, rinse mouth thoroughly with large amount of water and get medical help.