

Jongboom A



Reg. No. K8589 Act No. 36 of 1947

FERTILIZER GROUP 1

READ LABEL BEFORE USE.
KEEP OUT OF REACH OF CHILDREN AND ANIMALS.



DANGER

Nitrogen	(N)	288 g/kg
Magnesium	(Mg)	10 g/kg
Sulphur	(S)	13 g/kg
Copper*	(Cu)	10 g/kg
Boron	(B)	45 g/kg

*EDTA chelated

UN Number.: Not Regulated

HAZARD STATEMENTS:

May damage fertility or the unborn child.
Toxic to aquatic life.

PRECAUTIONARY STATEMENTS:

Read carefully and follow all instructions.
Avoid release to the environment.

Emergency contact details

Office Hour Poisoning Helpline
Rolfes Agri (Pty) Ltd.
Tel: +27 (12) 803 0145

Registered, Manufactured and Distributed by: Rolfes Agri (Pty) Ltd.
(Reg. No. 1998/013411/07) • 288 Mundt Street, Waltloo, 0184
Gauteng, RSA. • Tel: (012) 803-0145

Rolfes 
Agri

Spill Response and Transport incidents

Spill Tech, Oil and chemical pollution control
Tel: +27 (86) 100 0366 / +27 (83) 253 6618
www.spilltech.co.za

Store at room temperature
Keep out of direct sunlight • Keep container closed when not in use



PRECAUTIONS:

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Obtain, read, and follow all safety instructions before use.
- Avoid release to the environment.
- Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- If exposed or concerned, get medical advice.
- Store locked up.
- Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

RELEVANT HAZARDOUS SUBSTANCES:

Boric Acid 30 to 30% and Fatty Alcohol Ethoxylate < 10%.

FIRST AID TREATMENT:

- **General Advice:** The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention.
- **Eye contact:** Flush eyes immediately with flowing cold water for several minutes, until no evidence of chemical remains. If irritation persists, get medical help.

- **Skin contact:** Remove all contaminated clothing and shoes. Gently wipe off residual chemical and wash skin thoroughly with water and non-abrasive soap. If irritation persists, get medical help.
- **Inhalation:** Remove the affected victim from exposure to an area with fresh air. If breathing has stopped, administer artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If irritation persists, get medical help.
- **Ingestion:** If exposed or concerned, rinse mouth thoroughly with large amount of water and get medical help.

DIRECTIONS FOR USE: Use only as directed.

- For use to prevent or correct nutrient deficiencies in young fruit trees as well as to stimulate growth.
- Apply **JONGBOOM A** as a high volume foliar spray either in the early morning or late afternoon. Do not spray when temperatures exceed 30° C or onto wilted or stressed plants as this can result in reduced uptake.
- Always do a compatibility test before using **JONGBOOM A** in combination with other agrochemicals, especially prior to large-scale spray applications.
- Do not mix with lime sulphur or Bordeaux mixture.
- Do not use a buffer or acidifying agent in combination with **JONGBOOM A**.
- The use of a suitable wetter is advised.

RECOMMENDATIONS:

CROP	RATE PER 100 l WATER	APPLICATION DETAILS
Young fruit trees	400 g + suitable wetter according to label recommendations	<ul style="list-style-type: none"> • Start application approximately 3 weeks (21 days) after beginning of budbreak. • Follow up with JONGBOOM B* 7 - 10 days later. • After another 7 - 10 days, start again with JONGBOOM A. • Repeat this cycle until 3 applications of each product have been made.

***JONGBOOM B**

Reg No. K8590 Act 36 of 1947

Rolfes Agri (Pty) Ltd.