



Nitrogen	(N)	170 g/kg
Phosphorus	(P)	133 g/kg
Magnesium	(Mg)	20 g/kg
Zinc	(Zn)	20 g/kg
Manganese	(Mn)	34 g/kg
Sulphur	(S)	55 g/kg

UN Number.: 3077

#### HAZARD STATEMENTS:

Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

### PRECAUTIONARY STATEMENTS:

Read carefully and follow all instructions. Get medical help if you feel unwell.



Registered, Manufactured and Distributed by: Rolfes Agri (Pty) Ltd. (Reg. No. 1998/013411/07) • 288 Mundt Street, Waltloo, 0184 Gauteng, RSA. • Tel: (012) 803-0145





**Emergency contact details** Office Hour Poisoning Helpline Rolfes Agri (Pty) Ltd. Tel: +27 (12) 803 0145

# PRECAUTIONS-

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Do not breathe dust/fumes/gas/mist/vapours/spray.
- Wash hands and affected area thoroughly after handling. Do not touch eyes.
- Avoid release to the environment.
  - Wear eve protection/face protection.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if
  present and easy to do. Continue rinsing.
- Get medical help if you feel unwell.
- Collect spillage.
- Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

### RELEVANT HAZARDOUS SUBSTANCES:

 $ZnSO_{1}H_{0}O < 10\%$  and  $MnSO_{1}H_{0}O 10 - 30\%$ .

# FIRST AID TREATMENT:

General Advice: The symptoms resulting from direct exposure to the product could appear a
while after exposure. If there is persistent discomfort, seek medical attention.

- Eye contact: Flush eyes immediately with large amount of flowing cold water for at least 15
   20 minutes, until no evidence of chemical remains, If irritation persists, get medical help.
- Skin contact: Remove all contaminated clothing and shoes. Gently wipe off residual chemical
  and wash skin thoroughly with water and non-abrasive soap. If irritation persists, get medical
  help.
- Inhalation: Remove the affected victim from exposure to an area with fresh air. If breathing
  has stopped, administer artificial respiration with the aid of a pocket mask equipped with a
  one-way valve or other proper respiratory medical device. If irritation persists, get medical help.
- **Ingestion:** If exposed or concerned, rinse mouth thoroughly with large amount of water and get medical help.

### DIRECTIONS FOR USE: Use only as directed.

- For use to prevent or correct nutrient deficiencies in young fruit trees as well as to stimulate growth.
- Äpply JONGBOOM B as a high volume foliar spray either in the early morning or late afternoon.
   DO NOT spray when temperatures exceed 30° C or onto wilted or stressed plants as this can result in reduced uotake.
- Always do a compatibility test before using JONGBOOM B in combination with other agrochemicals, especially prior to large-scale spray applications.
- DO NOT mix with lime sulphur or Bordeaux mixture.
- DO NOT use a buffer or acidifying agent in combination with JONGBOOM B.
  - The use of a suitable wetter is advised.

# RECOMMENDATIONS:

CROP	RATE PER 100 & WATER	APPLICATION DETAILS
Young fruit trees	950 g + suitable wetter according to label recommendations	<ul> <li>Apply JONGBOOM B 7 to 10 days after the application of JONGBOOM A*. Refer to the label of JONGBOOM A*.</li> <li>JONGBOOM B is to be applied 7 to 10 days after each application of JONGBOOM A* until 3 applications of each product have been made.</li> </ul>

<sup>\*</sup>JONGBOOM A. Reg. No. K8589. Act No. 36 of 1947