Rolfes Agri (Pty) Ltd VAT No: 4770176081 (Reg. No. 1998/013411/07)



SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: QUATRO COP Other identifier: QUATRO COP Recommended use: Fertilizer Restrictions on use: Agriculture

Supplier Rolfes Agri (Pty) Ltd

288 Mundt Street

Waltloo

Pretoria, South Africa +27(0)12 803 0145

Telephone: +27(0)12 803 0145 E-mail Address: info@rolfesagri.co.za

Emergency Phone Numbers:Office hour poisoning helpline

Rolfes Agri (Pty) Ltd +27 (12) 803 0145 Spill Response and Transport Incidents

Spill Tech, 086 100 0366, www.spilltech.co.za
Oil and chemical pollution control 083 253 6618

2. HAZARDS IDENTIFICATION

GHS classification and labelling of chemicals and the Regulations for Hazardous Chemical Agents - 2021.				
Hazard class	Hazard category	H-statement		
Health				
Acute Toxicity Oral	Acute Tox. 4	H302		
Eye Irritation 2	Eye Irrit. 2	H319		
Carcinogenicity	Carc. 1B	H350		
Environment				
Hazardous to the aquatic environment, short-term	Aquatic Acute 1	H400		
Hazardous to the aquatic environment, long-term	Aquatic Chronic 1	H410		

The most important adverse effects: Physiochemical effects: None known.

Human health effects:

Harmful if swallowed (Acute Tox. 4) Causes serious eye irritation (Eye Irrit. 2) May cause cancer (Carc. 1B)

Pictograms:



Signal word: Danger.

Hazard statements:

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H350: May cause cancer. H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P203: Obtain, read and follow all safety instructions before use.

P264 + P265: Wash hands and affected area thoroughly after handling. Do not touch eyes.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301 + P317: IF SWALLOWED: Get medical help.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P318: IF exposed or concerned, get medical advice. P337 + P317: If eye irritation persists: Get medical help.

P330: Rinse mouth. P391: Collect spillage. P405: Store locked up.

P501: Empty all pesticides from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

Special labelling of certain mixtures:

None known.

Other hazards:

None known.

Toxicity:

Classification according to GHS: Category 4.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients with Hazard Concerns (GHS): According to UN GHS criteria

Hazardous Component	CAS Number	Conc. (m/v) %	GHS Classification
Copper Oxychloride	1332-40-7	30-60%	Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Flosperse 3000	9003-01-4	<10%	Acute Tox. 4 (H302) Eye Irrit 2 (H319) Aquatic Acute 1 (H400) (M=1) Aquatic Chronic 2 (H411)
Ethylene Glycol	107-21-1	<10%	Acute Tox. 4 (H302)
Formalin	50-00-0	<10%	Acute Tox. 4 (H302) Carc. 1B (H350)

4. FIRST AID MEASURES

General Advice: The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention. Provide this SDS to medical personnel for treatment. Immediately remove contaminated clothing and remove the affected person from the contamination area. Keep the person warm, calm and covered up. First Aid personnel should pay attention to their own safety.

Eye contact: Flush eyes immediately with large amounts of flowing cold water for 15-20 minutes, until no evidence of chemical remains. If irritation persists, get medical help. **Skin contact:** Remove all contaminated clothing and shoes. Gently wipe off residual chemical and wash skin thoroughly with non-abrasive soap. If irritation persists, get medical help.

Inhalation: Remove the affected victim from exposure to an area with fresh air. If breathing has stopped, administer artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Ingestion: Seek medical attention or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

Most important symptoms/effects, acute and delayed: Harmful if swallowed.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use carbon dioxide, dry chemical for small fires and alcohol resistant foam or water fog for large fires. Do not use water jets.

Specific hazards arising from the chemical including thermal decomposition products: Fires involving the product may produce irritating or poisonous smoke, or other products of combustion.

Special protective equipment and precautions for firefighters: Firefighters must wear emergency equipment including positive pressure self-contained breathing apparatus with a full-face mask. Remove unaffected containers from fire area if possible.

Additional provisions: Act in accordance with the site's Internal Emergency Plan and the Workplace Specific Procedures for actions to be taken after an accident or other emergencies.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Ventilate the area of the spill or leak, especially when in confined areas. Do not touch or walk through spilled material as slippery when spilt. Contain spills if it can be done without risk and clean-up immediately.

Wear appropriate protective clothing recommended in Section 8 of the SDS.

Environmental Precautions:

Prevent spillage or further leakage if safe to do so.

Do not allow the spilt product to enter water courses and drains and avoid contact with soil. Do not allow the spilt product to spread to other areas - keep the spilt material contained and isolated. Report spills and releases as required to appropriate authorities if the spilt product has caused environmental pollution (sewers, water ways, soil or air).

Methods for cleaning up:

For small spills, soak up with damp earth or sand, or other non-Combustible absorbent material. Place into a labelled waste container subsequent reclamation or disposal. Keep the wash water out of drains, sewers and waterways.

For large spills, contain the spillage with absorbent material (non-combustible for flammable products). Sweep up with absorbent material, contain and collect spilt product in suitable containers for proper disposal. Keep the wash water out of drains, sewers and waterways.

Reference to other sections:

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE REQUIREMENTS

Precautions for safe handling

Always provide good ventilation in the work area. Prevent contact with eyes, skin and clothing. Do not breathe in dust. Wear protective clothing and equipment during handling as described in Section 8 of the SDS.

Do not eat or drink during use. Wash the hands and face thoroughly with soap after handling. Keep containers closed when not in use. Do not permit smoking in use or storage areas. Locate emergency showers and eye-rinsing facility near the work/handling area. Maintain good normal industrial hygiene and housekeeping practices in areas where the product is used/handled.

Conditions for safe storage, including any incompatibilities

Always store locked up and keep containers tightly closed when not in use. Store in a cool, dry and well-ventilated place, out of direct sunlight. Check storage containers regularly for leaks and protect containers from physical damage. Store in the original container, avoid cross contamination with other agricultural products. Keep out of reach of children, uninformed persons, and animals. Do not contaminate water, food, or feed by storage or disposal.

It is recommended to have appropriate spill control kits equipped with absorbent material in close proximity to storage areas (see Section 6).

Specific end use(s)

Use as directed. Use original container.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

National Occupational Exposure Limits - Restricted limits for hazardous chemical agents.

Component	Туре	Control	Update	Reference
		Parameter		
Ethylene	OEL- eight hour TWA	50 ^(V) ppm	2021	South African RELs*
Glycol	OEL- STEL/C	100 ^(V) ppm	2021	South African RELs*

Appropriate engineering controls: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

PERSONAL PROTECTIVE EQUIPMENT:

Respiratory protection: Respiratory protection selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted and wellmaintained particulate filter respirator, complying with an approved standard. Respirator selection and use should be based on contaminant type, form and concentration.

For emergency conditions, use an approved positivepressure self-contained breathing apparatus.

Skin and Hand Protection: Select skin and hand protection based on the task being performed and the risks involved with the task. The gloves should be replaced immediately in case of damage or signs of wear. The personal protective clothing must be properly fitted and well maintained.

Eye/Face Protection: Select safety eye/face protection based on the task being performed and the risks involved with the task. Wear tightly fitted and well-maintained safety eyewear compliant with an approved standard.

Hygiene Measures: Wash the hands and/or face before breaks, eating, smoking, or using the lavatory and at the end of the shift/working period. Eye wash fountains and safety showers should be available and easily accessible. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/physical state: Suspension

Odour: Pungent odour

Colour: Green

Boiling Point: >100°C

Vapour Pressure (mm Hg): Not applicable.

Evaporation Rate: Not applicable.

Relative Vapour Density: Not applicable. Solubility in water: Soluble in water. **Decomposition temperature:** Not applicable. Melting point/freezing point: Not applicable.

pH: Not available

Density/relative density(g/cm3): 1.64 – 1.67

Flammability: Not flammable. Flash Point: Not applicable.

Flammable limits-LEL: Not applicable. Auto-ignition temperature: Not applicable.

Viscosity: Not available.

10. STABILITY AND REACTIVITY

Reactivity: Copper is corrosive to aluminium, especially when in aqueous state and elevated temperatures.

Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight.

Possibility of Hazardous Reactions: Will not occur. Conditions to Avoid: Avoid excessive heat and exposure

to high moisture conditions for prolonged periods. **Incompatible Materials:** Avoid strong acids.

Hazardous Decomposition Products: Decomposes in

high temperature to CuO+H₂O.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Calculated.

Acute Toxicity Oral LD₅₀ >1700 mg/kg. Acute Toxicity Dermal LD₅₀ >3200 mg/kg. Acute Toxicity Inhalation: Not classified. Skin Corrosion/Irritation/: Not classified.

Eye Damage/Irritation: Causes serious eye irritation.

Skin Sensitization: Not classified.

Respiratory Sensitization: Not classified. Germ cell mutagenicity: Not classified. Carcinogenicity: May cause cancer. Reproductive toxicity: Not classified.

Specific target organ toxicity - single exposure: Not

classified.

Specific target organ toxicity – repeated exposure: Not

classified.

Aspiration hazard: Not classified.

Symptoms related to the physical, chemical, and

toxicological characteristics.

No information available.

12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA: Active ingredient.

Fish

 \overline{LC}_{50} (96 h) Rainbow trout 0.052 mg/L

Daphnia

LC₅₀ (48 h) 0.29 mg Cu/L

Birds:

LD₅₀ 511 mg Cu/kg Bobwhite quail

LC₅₀ (8d) 1939 mg Cu/kg

Bees:

LD₅₀ 44.3 μg/bee (contact)

12.1 µg/bee

(oral)

Algae:

 E_rC_{50} (72 h) Scenedesmus 198 mg/L

subspicatus

Worms:

 $\overline{\text{LD}}_{50}$ (14 d) Eisenia fetida >489.6 mg/kg

ENVIRONMENTAL EFFECTS:

Plants: Copper is an essential element and is under homeostatic control in plants.

Persistence and degradability: Copper is an inorganic compound that cannot be degraded in soils. Copper can be present under different forms, most of which are strongly bound to inorganic and organic ligands contained within soil and sediments. The fate and behaviour of copper, as its bio availability, strongly depend on the distribution of these different forms.

Bio-accumulative Potential: Copper is strongly bio-accumulated.

Mobility in soil: Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

Other adverse effects: High concentration in receiving water will injure aquatic life.

13. DISPOSAL CONSIDERATIONS

Waste handling and disposal: Dispose product related waste in accordance with all local regulations and prevent the contamination of water, food, or feed by storage or disposal of the waste. The product container/bags may be taken to a registered waste disposal site or incineration plant.

General container handling: Empty all pesticides from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

14. TRANSPORT INFORMATION

	Land Transport (ADR/RID)	Inland Waterways (AND/ADN R)	Sea Transport (IMDG)	Air Transport (ICAO-TI / IATA-DGR)
UN Number	3082	3082	3082	3082
UN Proper Shipping Name	ENVIRONM ENTALLY HAZARDO US SUBSTANC E, LIQUID, TOXIC, N.O.S.	ENVIRONM ENTALLY HAZARDO US SUBSTANC E, LIQUID, TOXIC, N.O.S.	ENVIRONM ENTALLY HAZARDO US SUBSTANC E, LIQUID, TOXIC, N.O.S.	ENVIRONM ENTALLY HAZARDO US SUBSTANC E, LIQUID, TOXIC, N.O.S.
Transport Hazard Class	9	9	9	9
Transport Hazard Class Pictogram	€	₩	€>	€
Packing Group	III	III	III	III
Environme ntal Hazard	¥2>	¥2>	***	***

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation for the mixture. South Africa

Regulations for Hazardous Chemical Agents – 2021 – SA Occupational Health and Safety Act. - Handling, labelling and Safety Data Sheets for hazardous and GHS classified substances and mixtures. Occupational Exposure Limits.

Hazardous Substances Act, 1973 (Act No.15 of 1973) - Requirements on the prohibition and control of the importation, manufacture, sale, use, operation, application, modification, disposal or dumping of hazardous substances. Occupational Health and Safety Act No. 85 of 1993.- Occupational Health and Safety Standards for employers and users working with and around hazardous chemical substances. National Road Traffic Act, 1996 (ACT NO. 93 of 1996). - The identification and classification of dangerous goods for transport by road and rail modes.

Botswana

Pesticides and Toxic Substances Regulations. 1994 (2006) - Control and management of pesticides and other toxic substances. Environmental and Pollution Control Act. 1990 - Hazardous waste disposal, hazardous substances, pesticides, and effluent wastewater/discharge.

Namibia

Labour Act 11 of 2007 - Hazardous substances classification, labelling, Chemical Safety Data Sheets and Occupational Exposure Limits. Notification of the use of carcinogens and other controlled substances. Regulations relating to the Health and Safety of Employees at Work Government Notice 156 of 1997. Labour Act 11 of 2007 schedule, item 2(2). - Occupational Health and Safety Standards for employers and users working with and around hazardous chemical substances.

16. OTHER INFORMATION

Packaging: Packed in 0.1, 0.2, 0.25, 0.5, 1, 5, 10, 20, 25, 200, 210 and 1000 L plastic containers or plastic bags; and labelled according to South African regulations and guidelines.

Relevant classification and H-Statements:

Acute Toxicity; Oral - Category 4 H302: Harmful if swallowed.

Eye Irritation – Category 2

H319: Causes serious eye irritation.

Carcinogenicity – Category 1B H350: May cause cancer.

Hazardous to the Aquatic Environment, Acute Hazard-Category 1

H400: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term hazards-Category 1

H410: Very toxic to aquatic life with long lasting effects.

Key to Abbreviations

AND European Provisions concerning the International Carraige od Dangerous Goods by inland

Waterways

ADR The European Agreement concerning the International Carraige of Dangerous Goods by

Road

ATE Acute Toxicity Estimate
COD Chemical Oxygen Demand

GHS Globally Harmonised System of Classification and

Labelling of Chemicals

IATA International Air Transport Association
 ICAO International Civil Aviation Organisation
 IMDG International Maritime Dangerous Goods

Log_{Pow} Logarithm of the octanol/water partition coefficient

LD₅₀ Lethal Dose 50

LC₅₀ Lethal Concentration 50

RID The Regulations concerning the International

Carraige of Dangerous Goods by Rail

SDS Safety Data Sheet UN United Nations

Notice to Reader

The information contained in this Safety Data Sheet relate only to the specific product and do not relate to the use of the product in combination with any other product or process. Information in the SDS is supplied to the best of **ROLFES AGRI (PTY) LTD's** knowledge and are believed to be current and correct as of the date on this SDS. All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

The SDS only provides information applicable to the health, safety and environmental hazards of this product at the date of issue in order to facilitate the safe use, handling, storage and transport of this product and does not replace any product information or product specifications.

It is not possible for ROLFES AGRI (PTY) LTD to anticipate or control all conditions under which this product, this product may be used, handled, stored or transported. The obligation of the user, receiver, handler or transporter remains to review the content of the SDS prior to potentially exposing persons/employees to the product and to consider any risks that may associated with the hazards of the product during use, handlings, storage or transportation. Appropriate health, safety environmental protection risk mitigating measures must be in place and such information must be communicated to all persons that might be involved with and exposed to this product.

Disclaimer:

ROLFES AGRI Proprietary Limited provides the information contained herein in good faith, however, the information and recommendations are presented without warrant, representation or license of any kind, expressed or implied, with respect to the accuracy, correctness or its comprehensiveness, or assume any liability for incomplete information contained herein or any advice given. The seller, supplier and manufacturer of the material and their respective affiliates

(collectively, the "supplier") disclaim all liability for reliance on such information and recommendations.

This document is intended only as a guide to the appropriate precautionary handling and use of the product by a properly trained person. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale. Accordingly, Rolfes Agri Proprietary Limited will not be responsible for damages resulting from use or reliance upon this information.

END OF SAFETY DATA SHEET