
WWW.ROLFESAGRI.CO.ZA





## SAFETY DATA SHEET

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: QUATRO-MAG Other identifier: QUATRO-MAG **Recommended use: Fertilizer** Restrictions on use: Agriculture Supplier Rolfes Agri (Pty) Ltd 288 Mundt Street Waltloo Pretoria. South Africa **Telephone:** +27(0)12 803 0145 E-mail Address: info@rolfesagri.co.za **Emergency Phone Numbers:** Office hour poisoning helpline Rolfes Agri (Pty) Ltd +27 (12) 803 0145 **Spill Response and Transport Incidents** Spill Tech, 086 100 0366, www.spilltech.co.za Oil and chemical pollution control 083 253 6618

## 2. HAZARDS IDENTIFICATION

South Africa - GHS classification and labelling of chemicals and the Regulations for Hazardous Chemical Agents - 2021.					
Hazard class					
Health					
Serious Eye	Category 4	H318			
damage					
Acute Toxicity	Category 4	H332			
Carcinogenicity	Category 1B	H350			
Environmental					
Hazardous to the	Category 3	H402			
Aquatic					
Environment					

## The most important adverse effects: Physiochemical effects: None known.

### Human health effects:

Causes serious eye damage. (Eye Dam.1) Harmful if inhaled. (Acute tox.4) May cause cancer (Carc.1B)

#### **Pictograms:**



Signal word: Danger.

Hazard statements: H318: Causes serious eye damage. H332: Harmful if inhaled. H350: May cause cancer. H402: Harmful to aquatic life. **Precautionary statements:** P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read carefully and follow all instructions. P203: Obtain, reads and follow all safety instructions before use. P261: Avoid breathing dust/fumes/mist/vapours/spray. P264+P265: Wash hands and affected area thoroughly after handling. Do not touch eyes. P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. P280: Wear eye protection/face protection. P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P354 + P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P317: Get medical help. P318: IF exposed or concerned, get medical advice. P405: Store locked up. P501: Empty all pesticides from the container by placing it upside down over the sprav tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler. Special labelling of certain mixtures: None known. Other hazards: None known. Toxicity: Classification according to GHS: Category 5/Unclassified. 3. COMPOSITION / INFORMATION ON INGREDIENTS Ingredients with Hazard Concerns (GHS): According to **UN GHS criteria** 

Hazardous Component	CAS Number	Conc. (m/v) %	GHS Classification
Supragil	105362-40-	<10%	Eye Dam.1
MNS90	1		(H318)

Flosperse 3000	9003-01-4	<10%	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) M=1	apparatus with a full-face mask. Remove unaffected containers from fire area if possible. <b>Additional provisions:</b> Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate.			
Ethylene Glycol	107-21-1	<10%	Acute Tox. 4 (H302)	the storage containers and tanks for products susceptible			
Formalin	50-00-0	<10%	Carc. 1B (H350)	to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products			
4. FIRST AID N	IEASURES			used to extinguish the fire into an			
<ul> <li>4. FIRST AID MEASURES</li> <li>General Advice: The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention. Provide this SDS to medical personnel for treatment. Immediately remove contaminated clothing and remove the affected person from the contamination area. Keep the person warm, calm and covered up. First Aid personnel should pay attention to their own safety.</li> <li>Eye contact: Flush eyes immediately with large amounts of flowing cold water for 15-20 minutes, until no evidence of chemical remains. If irritation persists, get medical help.</li> <li>Skin contact: Remove all contaminated clothing and shoes. Gently wipe off residual chemical and wash skin thoroughly with non-abrasive soap. If irritation persists, get medical help.</li> <li>Inhalation: Remove the affected victim from exposure to an area with fresh air. If breathing has stopped, administer artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Obtain immediate medical attention.</li> <li>Ingestion: If exposed or concerned, rinse mouth thoroughly with large amount of water and get medical advice.</li> <li>Most important symptoms/effects, acute and delayed: Acute and delayed effects are indicated in sections 2 and 11.</li> <li>Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</li> <li>Specific treatments: No specific treatment.</li> <li>FIRE FIGHTING MEASURES</li> <li>Suitable (and unsuitable) extinguishing surrounding fire.</li> <li>Specific hazards arising from the chemical including</li> </ul>				result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium <b>6. ACCIDENTAL RELEASE MEASURES</b> <b>Personal precautions, protective equipment, and emergency procedures:</b> Isolate leaks provided that there is no additional risk for the people performing the task. Personal protection equipment must be used against potential contact with the spilt product (see section 8). Evacuate the area and keep out those who do not have protection. <b>Environmental Precautions:</b> Do not discharge into drains, water courses or onto the ground. Remove any intact containers. Advise local authority that none of the affected water should be used until natural dilution returns the levels to its normal environmental background level. <b>Methods for cleaning up:</b> <b>For small spills</b> , soak up with damp earth or sand, or other non-Combustible absorbent material. Place into a labelled waste container subsequent reclamation or disposal. Keep the wash water out of drains, sewers and waterways. <b>For large spills</b> , contain the spillage with absorbent material (non-combustible for flammable products). Sweep up with absorbent material, contain and collect spilt product in suitable containers for proper disposal. Keep the wash water out of drains, sewers and waterways. <b>Reference to other sections:</b> See Section 1 for emergency contact information. See Section 1 for information on appropriate personal protective equipment. See Section 1 for additional waste treatment information. <b>7. HANDLING AND STORAGE REQUIREMENTS</b> <b>Precautions for safe handling</b> Always provide good ventilation in the work area. Prevent			
thermal decor vapours may be Special protect	<b>mposition pr</b> e formed. <b>tive equipme</b> ghters must v	oducts: nt and pr vear eme	If heated, harmful ecautions for fire- ergency equipment	contact with eyes, skin and clothing. Do not breathe in dust. Wear protective clothing and equipment during handling as described in Section 8 of the SDS. Do not eat or drink during use. Wash the hands and face thoroughly with soap after handling. Keep containers closed when not in use. Do not permit smoking in use or storage areas. Locate emergency showers and eye-rinsing			

facility near the work/handling area. Maintain good normal industrial hygiene and housekeeping practices in areas where the product is used/handled. <b>Conditions for safe storage, including any</b> <b>Incompatibilities.</b> Always store locked up and keep containers tightly closed when not in use. Store in a cool, dry and well-ventilated place, out of direct sunlight. Check storage containers regularly for leaks and protect containers from physical damage. Store in the original container, avoid cross contamination with other agricultural products. Keep out of reach of children, uninformed persons, and animals. Do			ightly closed ell-ventilated e containers om physical avoid cross Keep out of animals. Do	personal protective clothing must be properly fitted and well maintained. <b>Eye/Face Protection:</b> Select safety eye/face protection based on the task being performed and the risks involved with the task. Wear tightly fitted and well-maintained safety eyewear compliant with an approved standard. <b>Hygiene Measures:</b> Wash the hands and/or face before breaks, eating, smoking, or using the lavatory and at the end of the shift/working period. Eye wash fountains and safety showers should be available and easily accessible. Wash contaminated clothing before reuse.	
not contaminate disposal. It is recommend equipped with a storage areas (se <b>Specific end use</b> Use as directed.	led to have ap absorbent mate ee Section 6). <b>e(s)</b>	ropriate spill al in close	control kits	<ul> <li>9. PHYSICAL AND CHEMICAL PROPERTIES</li> <li>Appearance/physical state: Suspension (Liquid)</li> <li>Odour: Pungent odour</li> <li>Colour: White</li> <li>Boiling Point: Not applicable.</li> <li>Vapour Pressure (mm Hg): Not applicable.</li> <li>Evaporation Rate: Not applicable.</li> </ul>	
8. EXPOSURE CONTROL / PERSONAL PROTECTION National Occupational Exposure Limits – Restricted limits for hazardous chemical agents.				Relative Vapour Density: Not applicable. Solubility in water: Soluble in water. Decomposition temperature: Not applicable. Melting point/freezing point: Not applicable. pH: Not applicable.	
Component Typ	e Control Paramet	Update	Reference	<b>Density at 20°C:1.3</b> 8 - 1.40 g/mL <b>Flammability:</b> Not flammable.	
Ethylele Glycol	L- 50 <sup>(v)</sup> ppn ht ır 'A	2021	South African RELs <sup>*</sup>	Flash Point: Not applicable. Flammable limits-LEL: Not applicable. Auto-ignition temperature: Not applicable. Viscosity: Not applicable.	
UE	L- 100 <sup>(V)</sup> pp EL/C	n 2021	South African	10. STABILITY AND REACTIVITY	
Appropriate engineering controls: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.         PERSONAL PROTECTIVE EQUIPMENT:         Respiratory protection: Respiratory protection selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted and well-maintained particulate filter respirator, complying with an approved standard. Respirator selection and use should be based on contaminant type, form and concentration. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.         Skin and Hand Protection: Select skin and hand protection based on the task being performed and the risks involved with the task. The gloves should be replaced immediately in case of damage or signs of wear. The				<ul> <li>Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.</li> <li>Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight.</li> <li>Possibility of Hazardous Reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.</li> <li>Conditions to Avoid: Applicable for handling and storage at room temperature.</li> <li>Incompatible Materials: Not applicable.</li> <li>Hazardous Decomposition Products: No data available.</li> <li>11. TOXICOLOGICAL INFORMATION Acute Oral Toxicity LD<sub>50</sub>: &gt;3700 mg/kg</li> </ul>	

Acute Inhalation Toxicity LD <sub>50</sub> 3,9 mg/L. Skin Corrosion/Irritation/: Not classified. Eye Damage/Irritation: Causes serious eye damage. Skin Sensitization: Not classified. Respiratory Sensitization: Not classified. Germ cell mutagenicity: Not classified. Carcinogenicity: May cause cancer. Reproductive toxicity: Not classified. Specific target organ toxicity – single exposure: Not classified. Specific target organ toxicity – repeated exposure: Not classified. Aspiration hazard: Not classified. Symptoms related to the physical, chemical, and			<ul> <li>13. DISPOSAL CONSIDERATIONS</li> <li>Waste handling and disposal: Dispose product related waste in accordance with all local regulations and prevent the contamination of water, food, or feed by storage or disposal of the waste. The product container/bags may be taken to a registered waste disposal site or incineration plant.</li> <li>General container handling: Empty all pesticides from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler (South Africa).</li> </ul>				
toxicological characteristics. No information available.			14. TRANS	Sport Inf	ORMATION		
12. ECOLOGICAL INFORMATION ECOTOXICITY DATA: Active ingredient. Algae:			]	Land Transport (ADR/RID)	Inland Waterway s (AND/ADN	Sea Transport (IMDG)	Air Transport (ICAO-TI / IATA- DCB)
Magnesium Hydroxide EC50 NOEC Microorganisms		100 mgL 100 mg/L	UN Number UN Proper Shipping	Not regulated -	R) Not regulated -	Not regulated -	DGR) Not regulated -
EC50 Fish: Flosperse LC50		100 mg/L 27 mg/L	Name Transport Hazard Class Transport	-	-	-	-
<u>Microorganisms</u> NOEC		>41 m1g/L	Hazard Class Pictogram				
Fish Propylene Glycol LC50 (96 h) Algae:	Selenastrum	>10,000 mg/L	Packing Group Environm ental Hazard	-	-	-	-
EC50 (96h) NOEC (14d) <u>Microorganisms</u> NOEC (18h)	<i>capricornutum</i> Pseudomonas putida	19 100 mg/L <5300 mg/L >20,000 mg/L	Safety, he	15. REGULATORY INFORMATION Safety, health and environmental			
Fish Ethylene Glycol LC50(96h) NOEC	Pimephales promelas	> 72 860 mg/L > 40 mg/L	<ul> <li>regulations/legislation for the mixture.</li> <li>South Africa</li> <li>Regulations for Hazardous Chemical Agents – 2021 – S</li> <li>Occupational Health and Safety Act Handling, labelli and Safety Data Sheets for hazardous and GHS classifi</li> </ul>				
ENVIRONMENTAL EFFECTS: Plants: Not determined. Persistence and degradability: Not available. Bio-accumulative Potential: Not known significant effects or critical hazard. Mobility in soil: Not available. Other adverse effects: Not available.			substances and mixtures. Occupational Exposure Limits. Hazardous Substances Act, 1973 (Act No.15 of 1973) - Requirements on the prohibition and control of the importation, manufacture, sale, use, operation, application, modification, disposal or dumping of hazardous substances. Occupational Health and Safety Act No. 85 of 1993 Occupational Health and Safety Standards for employers and users working with and around hazardous				

(ACT classific	al substances. National Road Traffic Act, 1996 NO. 93 of 1996) The identification and ation of dangerous goods for transport by road and des.	SDS UN	Carraige of Dangerous Goods by Rail Safety Data Sheet United Nations			
rail modes. <b>Botswana</b> Pesticides and Toxic Substances Regulations. 1994 (2006) - Control and management of pesticides and other toxic substances. Environmental and Pollution Control Act. 1990 - Hazardous waste disposal, hazardous substances, pesticides, and effluent wastewater/discharge. <b>Namibia</b> Labour Act 11 of 2007 - Hazardous substances classification, labelling, Chemical Safety Data Sheets and Occupational Exposure Limits. Notification of the use of			Notice to Reader The information contained in this Safety Data Sheet relate only to the specific product and do not relate to the use of the product in combination with any other product or process. Information in the SDS is supplied to the best of <b>ROLFES AGRI (PTY) LTD's</b> knowledge and are believed to be current and correct as of the date on this SDS. All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).			
carcinogens and other controlled substances. Regulations relating to the Health and Safety of Employees at Work Government Notice 156 of 1997. Labour Act 11 of 2007 schedule, item 2(2) Occupational Health and Safety Standards for employers and users working with and around hazardous chemical substances.		The SDS only provides information applicable to the health, safety and environmental hazards of this product at the date of issue in order to facilitate the safe use, handling, storage and transport of this product and does not replace any product information or product specifications.				
	<b>16. OTHER INFORMATION</b> <b>Packaging:</b> Packed in 0,1; 0,2; 0,25; 0,5; 1; 5; 10; 20; 25;		It is not possible for <b>ROLFES AGRI (PTY) LTD</b> to anticipate or control all conditions under which this product, this product may be used, handled, stored or			
200; 210 and 1000 litre plastic containers and labelled according to South African regulations and guidelines.		transported. The obligation of the user, receiver, handler or transporter remains to review the content of the SDS prior to potentially exposing persons/employees to the product				
Relevant classification and H-Statements: Serious Eye Damage: Category 1 H18: Causes serious eye damage. Acute Toxicity, Category 4 H332: Harmful if inhaled. Carcinogenicity, 1B H350. May cause cancer. Aquatic Acute Category 3 H402: Harmful to aquatic life. Key to Abbreviations			and to consider any risks that may associated with the hazards of the product during use, handlings, storage or transportation. Appropriate health, safety and environmental protection risk mitigating measures must be in place and such information must be communicated to all persons that might be involved with and exposed to this product. <b>Disclaimer:</b> <b>ROLFES AGRI Proprietary Limited provides the information contained herein in good faith, however, the information and recommendations are presented without warrant,</b>			
AND	European Provisions concerning the International Carraige od Dangerous Goods by inland Waterways	respect to or assum herein o	ation or license of any kind, expressed or implied, with the accuracy, correctness or its comprehensiveness, e any liability for incomplete information contained r any advice given. The seller, supplier and			
ADR	The European Agreement concerning the International Carraige of Dangerous Goods by Road	(collective such infor	urer of the material and their respective affiliates ly, the "supplier") disclaim all liability for reliance on mation and recommendations.			
ATE	Acute Toxicity Estimate		ment is intended only as a guide to the appropriate nary handling and use of the product by a properly			
COD	Chemical Oxygen Demand		erson. Individuals receiving the information must			
GHS	Globally Harmonised System of Classification and Labelling of Chemicals	exercise appropria	their independent judgement in determining its teness for a particular purpose. When this product is			
	International Air Transport Association		passes to the purchaser in accordance with the			
	International Civil Aviation Organisation		erms and conditions of sale. Accordingly, Rolfes Agri y Limited will not be responsible for damages			
IMDG Log <sub>Pow</sub>	International Maritime Dangerous Goods Logarithm of the octanol/water partition coefficient		rom use or reliance upon this information.			
	Lethal Dose 50	_				
LC <sub>50</sub>	Lethal Concentration 50	END OF	SAFETY DATA SHEET			
RID	The Regulations concerning the International					