WWW.ROLFESAGRI.CO.ZA

Rolfes Agri (Pty) Ltd VAT No: 4770176081 (Reg. No. 1998/013411/07)



SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: **THOR 500 WP** Other identifier: THOR 500 WP Recommended use: Fungicide Restrictions on use: Agriculture Supplier Rolfes Agri (Pty) Ltd 288 Mundt Street Waltloo Pretoria. South Africa **Telephone:** +27(0)12 803 0145 E-mail Address: info@rolfesagri.co.za **Emergency Phone Numbers:** Office hour poisoning helpline Rolfes Agri (Pty) Ltd +27 (12) 803 0145 **Spill Response and Transport Incidents** Spill Tech, 086 100 0366, www.spilltech.co.za Oil and chemical pollution control 083 253 6618

2. HAZARDS IDENTIFICATION

South Africa - GHS chemicals and the Chemical Agents - 2021	Regulations for	-		
Hazard class	Hazard	H-statement		
	category			
Health Hazards				
Skin Irritation	Category 3	H316		
Skin Sensitization	Category 1	H317		
Serious Eye Damage	Category 1	H318		
Acute Toxicity –	Category 4	H332		
Inhalation				
Carcinogenicity	Category 2	H351		
Environmental Hazard				
Hazardous to the	Category 1	H400		
Aquatic Environment				
 Short-Term (Acute) 				
Hazard				

The most important adverse effects: Physiochemical effects: None known.

Human health effects:

Causes mild skin irritation (Skin Irrit. 3) May cause an allergic skin reaction (Skin Sens. 1) Causes serious eye damage (Eye Dam. 1) Harmful if inhaled (Acute Tox. 4) Suspected of causing cancer (Carc. 2) **Pictograms:**



Signal word: Danger.

Hazard statements:

- H316: Causes mild skin irritation.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H332: Harmful if inhaled.
- H351: Suspected of causing cancer.
- H400: Very toxic to aquatic life.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

- P102: Keep out of reach of children.
- P103: Read carefully and follow all instructions.

P203: Obtain, read and follow all safety instructions before use.

P261: Avoid breathing dust/fumes/gas/mist/vapours/spray. P264+P265: Wash hands and affected area thoroughly after handling. Do not touch eyes.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P354 + P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P317: Get medical help.

 P318: IF exposed or concerned, get medical advice. P321: Specific treatment (see first aid treatment on this SDS). P332 + P317: If skin irritation occurs: Get medical help. P333 + P317: If skin irritation or a rash occurs: Get medical help. P362 + P364: Take off contaminated clothing and wash it before reuse. P391: Collect spillage. P405: Store locked up. P501: Empty all pesticides from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler. Special labelling of certain mixtures: None known. Other hazards: None known. Toxicity: Classification according to GHS: Category 4. 				 Eye contact: Flush eyes immediately with flowing cold water for at least 15 – 20 minutes, until no evidence of chemical remains. If irritation persists, get medical help. Skin contact: Remove all contaminated clothing and shoes immediately. Gently wipe off residual chemical and wash skin thoroughly with water and non-abrasive soap. If irritation or rash persists, get medical help. Inhalation: Remove the affected victim from exposure to an area with fresh air. If breathing has stopped, administer artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If irritation persists, get medical help. Ingestion: If exposed or concerned, seek medical attention for treatment advice. If the person is alert, rinse mouth thoroughly with large amount water. Most important symptoms/effects, acute and delayed: No information available. Notes to physician: None known. Specific treatments: Treat symptomatically. 5. FIRE FIGHTING MEASURES Suitable (and unsuitable) extinguishing media: Use carbon dioxide, dry chemical, alcohol resistant foam,
Ingredients with Hazard Concerns (GHS): According to UN GHS criteria				water mist or fog. Water spray can be used for cooling of unaffected stock but avoid water coming in contact with the product.
Hazardous Component	CAS Number	Conc. (m/m) %	GHS Classification	Specific hazards arising from the chemical including thermal decomposition products: Cool tank/containers exposed to fire with water spray. Isolate area. Do not allow
Captan Tech	133-06-2	50%	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 3 (H331) Carc. 2 (H351) Aquatic Acute 1 (H400) M=10	run-off from firefighting to enter drains or water courses. If involved in a fire, it will emit oxides of carbon, oxides of nitrogen and possibly toxic fumes. Special protective equipment and precautions for fire- fighters: Firefighters must wear emergency equipment including positive pressure self-contained breathing apparatus with a full-face mask. Remove unaffected containers from fire area if possible.
Alkyl aryl sulphonate	26264-05-1	<10%	Skin Irrit. 2 (H315) Skin Sens. 1A (H317) Eye Irrit. 2 (H319)	Additional provisions: Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. In the event of a fire, wear full protective clothing and self- contained breathing apparatus with full-face piece operated in the pressure demand or other positive pressure mode.
4. FIRST AID M	EASURES			
General Advice: The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention. Provide this SDS to medical personnel for treatment. Immediately remove contaminated clothing and remove the affected person from the contamination area. Keep the person warm, calm, and covered up. First Aid personnel should pay attention to their own safety.			ear a while after fort, seek medical cal personnel for nated clothing and ontamination area. rered up. First Aid	6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment, and emergency procedures: Isolate leaks provided that there is no additional risk for the people performing the task. Personal protection equipment must be used against potential contact with the spilt product (see section 8).

Evacuate the area and keep out those who do not have protection.

Environmental Precautions:

Do not discharge product into drains, water courses or onto the ground. Remove any intact bags. Advise local authority that none of the affected water should be used until natural dilution returns the levels to its normal environmental background level.

Methods for cleaning up:

For small dry spills, sweep up with damp earth or sand or other suitable absorbent, such as sawdust, taking

care not to raise a dust cloud. Place the material into a clean, dry container and cover for subsequent disposal. All contaminated cleaning materials should be placed in closeable receptacles. In situations where product comes in contact with water, contain contaminated water for later disposal. Do not flush spilled material into drains. Keep spectators away and upwind.

For large spills, DO NOT wash away into sewer. Sweep spilled substance into sealable containers; if appropriate, moisten first to prevent dusting. Carefully collect remainder, then remove to safe place (extra personal protection: P2 filter respirator for harmful particles).

Reference to other sections:

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE REQUIREMENTS

Precautions for safe handling

Always provide good ventilation in the work area. Prevent contact with eyes, skin, and clothing. Do not breathe in dust/mist. Wear protective clothing and equipment during handling as described in Section 8 of the SDS.

Do not eat or drink during use. Wash the hands and affected area thoroughly with soap after handling. Do not permit smoking in use or storage areas. Locate emergency showers and eye-rinsing facility near the work/handling area. Maintain good normal industrial hygiene and housekeeping practices in areas where the product is used/handled.

Conditions for safe storage, including any Incompatibilities.

Always store locked up when not in use. Store in a cool, dry, and well-ventilated place, out of direct sunlight. Check storage bags regularly for leaks and protect bags from physical damage. Store in the original bags, avoid cross contamination with other agricultural products. Keep out of reach of children, uninformed persons, and animals. Do not contaminate water, food, or feed by storage or disposal. It is recommended to have appropriate spill

control kits equipped with absorbent material in close proximity to storage areas (see Section 6). **Specific end use(s)**

Use as directed. Use original bags.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

National Occupational Exposure Limits – Restricted limits for hazardous chemical agents.

<u>Captan</u>				
United	STEL: 15 mg/m ₃	Austria	STEL: 10 mg/m ₃	
Kingdom	TWA: 5 mg/m₃		TWA: 5 mg/m ₃	
France	TWA: 5 mg/m₃	Switzerland	TWA: 5 mg/m₃	
Spain	TWA: 5 mg/m₃	Poland	TWA: 5 mg/m₃	
Portugal	TWA: 5 mg/m₃	Norway	STEL: 10 mg/m ₃	
	-	_	TWA: 5 mg/m ₃	
Finland	TWA: 5 mg/m₃	Ireland	STEL: 15 mg/m ₃	
			TWA: 5 mg/m ₃	
Denmark	TWA: 5 mg/m₃			

Appropriate engineering controls: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

PERSONAL PROTECTIVE EQUIPMENT:

Respiratory protection: Respiratory protection selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted and wellmaintained particulate filter respirator, complying with an approved standard. Respirator selection and use should be based on contaminant type, form and concentration. For emergency conditions, use an approved positivepressure self-contained breathing apparatus.

Skin and Hand Protection: Select skin and hand protection based on the task being performed and the risks involved with the task. The gloves should be replaced immediately in case of damage or signs of wear. The personal protective clothing must be properly fitted and well maintained.

Eye/Face Protection: Select safety eye/face protection based on the task being performed and the risks involved with the task. Wear tightly fitted and well-maintained safety eyewear compliant with an approved standard.

Hygiene Measures: Wash the hands and/or face before breaks, eating, smoking, or using the lavatory and at the end of the shift/working period. Eye wash fountains and safety showers should be available and easily accessible. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/physical state: Powder.

Odour: Faint characteristic odour. Colour: White. Boiling Point: No data available. Vapour Pressure (mm Hg): No data available. Evaporation Rate: No data available. Relative Vapour Density: Not applicable. Solubility in water: Dispersible. Decomposition temperature: Not applicable. Melting point/freezing point: Not applicable.	Aspiration hazard: Not classified. Symptoms related to the physical, chemical, and toxicological characteristics. No information available. 12. ECOLOGICAL INFORMATION ECOTOXICITY DATA: Captan.		
pH: Not applicable. Density : Not applicable. Flammability: Not applicable.	Birds: Acute oral LD ₅₀	Mallard ducks and bobwhite quail	>2000 mg/kg
Flash Point: Not applicable. Flammable limits-LEL: Not applicable. Upper/Lower flammability limit: Not applicable.	Dietary LC ₅₀	mallard ducks and bobwhite quail	>5200 mg/kg diet.
Auto-ignition temperature: Not applicable. Viscosity: Not applicable.	<mark>Fish:</mark> LC ₅₀ (96h)	Bluegill sunfish Harlequin fish Brook trout	0.072 mg/ℓ. 0.3 mg/ℓ. 0.034 mg/ℓ.
10. STABILITY AND REACTIVITY		Brown trout Rainbow trout	0.098 mg/ℓ. 0.186 mg/ℓ.
Reactivity: No hazardous reactions are expected because the product is stable under recommended	<u>Daphnia:</u> LC ₅₀ (48h)		7 – 10 mg/ <i>l</i> .
storage conditions. See section 7. Chemical Stability: Chemical Stability: This product is stable for 2 years at ambient temperature and pressure,	Algae: EC ₅₀ (72h)	Pseudokirchneriella subcapitata	0.66 mg/ <i>t.</i>
under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: Hazardous	<u>Bees:</u> (LD ₅₀ , μg/bee) <u>Worms:</u> LC ₅₀ (14 d)	(oral) (contact) Earth worms	>100 μg/bee >200 μg/bee >260 mg/kg soil.
polymerization does not occur. Conditions to Avoid: Avoid contact with air and humidity. Incompatible Materials: None known.		ation available. degradability: Soil K	
Hazardous Decomposition Products: Will not occur under normal use conditions of handling and storage.	Bio-accumulative Mobility in soil: N	T ₅₀ c. 1 d (25°C, pH 7.2 Potential: Not detern lot determined. fects: Not determined.	nined.
11. TOXICOLOGICAL INFORMATION			
ACUTE TOXICITY: Calculated. Acute Oral Toxicity: Not Classified. Acute Dermal Toxicity LD ₅₀ : >3700 mg/kg Acute Inhalation Toxicity LC ₅₀ : 2.1 mg/L Skin Corrosion/Irritation: Causes mild skin irritation. Eye Damage/Irritation: Causes serious eye damage. Skin Sensitization: May cause an allergic skin reaction. Respiratory Sensitization: Not classified. Germ cell mutagenicity: Not classified. Carcinogenicity: Suspected of causing cancer. Reproductive toxicity: Not classified. Specific target organ toxicity – single exposure: Not classified. Specific target organ toxicity – repeated exposure: Not classified.			

					carcinoc	gens and other controlled substances.
	Land Transport (ADR/RID)	Inland Waterway s (AND/ADN R)	Sea Transport (IMDG)	Air Transport (ICAO-TI / IATA- DGR)	Regulati Employe Labour / Health a	ions relating to the Health and Safety of ees at Work Government Notice 156 of 1997. Act 11 of 2007 schedule, item 2(2) Occupational and Safety Standards for employers and users
UN Number	3077	3077	3077	3077	working	with and around hazardous chemical substances.
UN Proper Shipping Name	ENVIRONM ENTALLY HAZARDO US SUBSTANC E, SOLID, N.O.S	ENVIRONM ENTALLY HAZARDO US SUBSTANC E, SOLID, N.O.S	ENVIRONM ENTALLY HAZARDO US SUBSTANC E, SOLID, N.O.S	ENVIRONM ENTALLY HAZARDO US SUBSTANC E, SOLID, N.O.S	Packag Polyprop regulatio	IER INFORMATION ing: Packed in 1, 2, 5, 10, 25 kg Plastic bucket; bylene bag and labelled according to South African ons and guidelines.
Transport Hazard Class	9	9	9	9		nt classification and H-Statements:
Transport Hazard	ζđħ,	٨ħ,	ζſſh,	ζđh,		ation - Category 3 causes mild skin irritation.
Class Pictogram Packing	~	~	\sim	\sim		nsitization - Category 1 lay cause an allergic skin reaction.
Group Environm ental	¥2	¥2>	×	¥2>	Eye Damage - Category 1 H318: Causes serious eye damage.	
Hazard	Hazard			\checkmark	Acute Toxicity, Inhalation - Category 4	
15. REGUI	15. REGULATORY INFORMATION		H332: Harmful if inhaled.			
regulation	s/legislatio	vironmenta n for the mi			Carcinogenicity - Category 2 H351: Suspected of causing cancer.	
South Africa Regulations for Hazardous Chemical Agents – 2021 – SA Occupational Health and Safety Act Handling, labelling and Safety Data Sheets for hazardous and GHS classified		Hazardous to the Aquatic Environment – Short-Term (Acute) Hazard - Category 1 H400: Very toxic to aquatic life.				
Hazardous	Substance	es. Occupati s Act, 1973	(Act No.15	of 1973) -	Key to /	Abbreviations
Requirements on the prohibition and control of the importation, manufacture, sale, use, operation, application, modification, disposal or dumping of hazardous substances. Occupational Health and Safety Act No. 85 of 1993 Occupational Health and Safety Standards for employers and users working with and around hazardous			application, hazardous	AND	European Provisions concerning the International Carraige od Dangerous Goods by inland Waterways	
			andards for I hazardous	ADR	The European Agreement concerning the International Carraige of Dangerous Goods by Road	
chemical substances. National Road Traffic Act, 1996 (ACT NO. 93 of 1996) The identification and classification of dangerous goods for transport by road and rail modes.				cation and	ATE COD GHS	Acute Toxicity Estimate Chemical Oxygen Demand Globally Harmonised System of Classification and Labelling of Chemicals
Botswana Pesticides and Toxic Substances Regulations. 1994 (2006) - Control and management of pesticides and other				IATA ICAO IMDG	International Air Transport Association International Civil Aviation Organisation International Maritime Dangerous Goods	
toxic substances. Environmental and Pollution Control Act. 1990 - Hazardous waste disposal, hazardous substances, pesticides, and effluent wastewater/discharge.			Control Act.		Logarithm of the octanol/water partition coefficient Lethal Dose 50 Lethal Concentration 50	
Namibia		- Hazardous	· ·	5	RID	The Regulations concerning the International Carraige of Dangerous Goods by Rail
classification, labelling, Chemical Safety Data Sheets and Occupational Exposure Limits. Notification of the use of		SDS UN	Safety Data Sheet United Nations			

Notice to Reader

The information contained in this Safety Data Sheet relate only to the specific product and do not relate to the use of the product in combination with any other product or process. Information in the SDS is supplied to the best of **ROLFES AGRI (PTY) LTD's** knowledge and are believed to be current and correct as of the date on this SDS. All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

The SDS only provides information applicable to the health, safety and environmental hazards of this product at the date of issue in order to facilitate the safe use, handling, storage and transport of this product and does not replace any product information or product specifications.

It is not possible for ROLFES AGRI (PTY) LTD to anticipate or control all conditions under which this product, this product may be used, handled, stored or transported. The obligation of the user, receiver, handler or transporter remains to review the content of the SDS prior to potentially exposing persons/employees to the product and to consider any risks that may associated with the hazards of the product during use, handlings, storage or transportation. Appropriate health. safetv and environmental protection risk mitigating measures must be in place and such information must be communicated to all persons that might be involved with and exposed to this product.

Disclaimer:

ROLFES AGRI Proprietary Limited provides the information contained herein in good faith, however, the information and recommendations are presented without warrant, representation, or license of any kind, expressed or implied, with respect to the accuracy, correctness or its comprehensiveness, or assume any liability for incomplete information contained herein or any advice given. The seller, supplier and manufacturer of the material and their respective affiliates (collectively, the "supplier") disclaim all liability for reliance on such information and recommendations.

This document is intended only as a guide to the appropriate precautionary handling and use of the product by a properly trained person. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale. Accordingly, Rolfes Agri Proprietary Limited will not be responsible for damages resulting from use or reliance upon this information.

END OF SAFETY DATA SHEET