DPress®

SOIL CONDITIONER

Registration No. B4774 (Act 36 of 1947)

A microbial bio-fertilisation for use through irrigation, in furrow and seed treatment application on all crops.



Active ingredient: Bacillus amyloliquefaciens 5 x 108



Distributed by: Rolfes Agri (Pty) Ltd.
(Reg. No. 1998/013411/07)
288 Mundt Street, Waltloo, 0184, Gauteng, RSA.
Tel: (012) 803-0145 • Fax: (012) 803-8418
www.rolfesagri.co.za



Registered by: Microbial Solutions (Pty) Ltd.
Plot 220 Oudedorp Pothcefstroom 2531
Tel: 011 044 2616

Manufactured by Microbika (Pty) Ltd Reg Nr:2015/194786/07 ,PO Box 1143 Lichtenburg, North West , 2740 Email: info@microbika.com Tel No: (018) 632 0362



UN NO.: NOT REGULATED
SEE CONTAINER FOR BATCH DETAILS
COUNTRY OF ORIGIN: REPUBLIC OF SOUTH AFRICA
VERSION ROLFES AGRI: 04/2020



DIRECTIONS FOR USE: USE ONLY AS DIRECTED

- Can be applied at any time of the day.
- No cold-chain storage or transport requirements is needed for this product.
- Can be used in combination with other micro-organisms if needed.
 The product is focused specifically for the plants rhizosphere and soil health and can be used on all cross.

on all cro

- · Handle with care, do not inhale spray mix.
- Store out of direct sunlight and store away from food and foodstuff.
- Keep out of the reach of unauthorized persons and children.
- Use protective clothing, gloves and boots when mixing and during application.
- If skin or eye contact occurs rinse with large amounts of water.
- Destroy empty containers and do not re-use for any other purpose.

Application methods:

- DPress® can be applied by various methods: seed treatment, in furrow or foliar application.
 - It can be co-applied with almost all known agricultural fertilisers, avoid very low pH (<3) and very high pH (>9) please contact your Rolfes Agri distributor for further details.

Crop	Rate/ha	Remarks
Grain crops- Dry land	1 ℓ / ha	Apply during plant in-furrow. Can be repeated at any other stage for enhanced results.
Grain crops- Irrigated	1 ℓ/ha	Apply with in-furrow or pivot application at plant. May be followed by 2 or 3 more applications spread over 6 to 8 weeks later.
Pastures	1 ℓ / ha	Apply to soil at planting and may be repeated every 6 weeks.
Vegetables	1 ℓ / ha	Apply to soil at planting and may be repeated 2 weeks later via irrigation.
Permanent crops	1 ℓ / ha	Apply 4 to 5 times spread evenly throughout season through irrigation.
All other crops	1 ℓ/ha	Apply in as much water as required by all methods including: In furrow, seed treatment, pivot, boom spray, micros, drippers and aerial application.
Seed Treatment	100 mℓ / 100 kg	Apply to the seed at a rate of 100 mℓ/100 kg seed.