

Not classified as hazardous according to GHS

Nitrogen (N) 35 g/kg (P) 22 g/kg **Phosphorus** Potassium (K) 35 g/kg

Ash 270 g/kg Moisture 140 a/ka

> Registered, Manufactured and Distributed by: Rolfes Agri (Pty) Ltd. (Reg. No. 1998/013411/07) • 288 Mundt Street, Waltloo, 0184 Gauteng, RSA. • Tel: (012) 803-0145

> > **Spill Response and Transport incidents** Spill Tech. Oil and chemical pollution control Tel: +27 (86) 100 0366 / +27 (83) 253 6618 www.spilltech.co.za

Rolfes &





PRECAUTIONS:

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

- Consult with your supplier or the manufacturer should specific programs or any other information be required in connection with the pellitised, composted poultry manure range of products.
- The dosage rates in the table below are to be used as a guide only. The application rate is
 determined by soil fertility as well as soil and crop type.

CROP	RECOMMENDED DOSAGE RATE
TURF, PARKS AND GARDENS	$100 - 500 \mathrm{g}/\mathrm{m}^2$
CEREAL CROPS	200 – 500 kg / ha
VITICULTURE	500 — 1000 kg / ha
HORTICULTURE	500 — 1000 kg / ha
FYNBOS / INDIGENOUS	100 – 500 kg / ha