WWW.ROLFESAGRI.CO.ZA

Rolfes Agri (Pty) Ltd VAT No: 4770176081 (Reg. No. 1998/013411/07)



SAFETY DATA SHEET	Signal word: Danger.
1. CHEMICAL PRODUCT AND COMPANY	Hazard statements:
IDENTIFICATION	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
Product Name: AGRI-PASTE Mn	H402: Harmful to aquatic life.
Other identifier: AGRI-PASTE Mn	
Recommended use: Fertilizer	Precautionary statements:
Restrictions on use: Agriculture	P101: If medical advice is needed, have product container
Supplier Rolfes Agri (Pty) Ltd	or label at hand.
288 Mundt Street	P102: Keep out of reach of children.
Waltloo	P103: Read carefully and follow all instructions.
Pretoria, South Africa	P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.
Telephone: +27(0)12 803 0145	P264 + P265: Wash hands and affected area thoroughly
E-mail Address: info@rolfesagri.co.za	after handling. Do not touch eyes.
Emergency Phone Numbers:	P272: Contaminated work clothing should not be allowed
Office hour poisoning helpline	out of the workplace.
Rolfes Agri (Pty) Ltd +27 (12) 803 0145	P273: Avoid release to the environment.
Spill Response and Transport Incidents	P280: Wear eye protection/face protection/protective
Spill Tech, 086 100 0366, <u>www.spilltech.co.za</u>	gloves.
Oil and chemical pollution control 083 253 6618	P302 + P352: IF ON SKIN: Wash with plenty of water. P305 + P354 + P338: IF IN EYES: Immediately rinse with
2. HAZARDS IDENTIFICATION	water for several minutes. Remove contact lenses, if
GHS classification and labelling of chemicals and the	present and easy to do. Continue rinsing.
Regulations for Hazardous Chemical Agents - 2021.	P317: Get medical help. P321: Specific treatment (see first aid on this SDS).
Hazard class Hazard category H-statement	P333 + P317: If skin irritation or a rash occurs: Get medical
Health	help.
Skin Sensitization Skin Sens. 1 H317	P362 + P364: Take off contaminated clothing and wash it
Eye Damage Eye Dam. 1 H318	before reuse.
Environment	P501: Empty all pesticides from the container by placing it
Aquatic Acute Aquatic Acute 3 H402	upside down over the spray tank and holding it there for at
The most important adverse effects: Physiochemical effects: None known.	least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.
	Special labelling of certain mixtures:
Human health effects:	None known.
May cause an allergic skin reaction (Skin Sens.1)	
Causes serious eye damage (Eye Dam.1)	Other hazards:
	None known.
Pictograms:	
	Toxicity:
	Classification according to GHS: Category 5/Not
	Classified.
	3. COMPOSITION / INFORMATION ON INGREDIENTS
v v	Ingredients with Hazard Concerns (GHS): According to UN GHS criteria
	1

Hazardous Component	CAS Number	Conc. (m/v) %	GHS Classification	Specific hazards arising from the chemical including thermal decomposition products: Fires involving the
Acrylic Polymer	9003-01-4	<10%	Acute Tox. 4 (H302)	product may produce irritating or poisonous smoke, or
Sodium Salt			Eye Dam. 1	other products of combustion. Special protective equipment and precautions for fire-
			(H318)	fighters: Firefighters must wear emergency equipment
			Aquatic Acute 1 (H400) M=1	including positive pressure self-contained breathing
Polyalkyl	81065-51-	<10%	Eye Dam. 1	apparatus with a full-face mask. Remove unaffected containers from fire area if possible.
Naphtalene	2		(H318)	Additional provisions: Act in accordance with the site's
Sulphonate Benzisothiazoli	2634-33-5	<10%	Acute Tox. 4	Internal Emergency Plan and the Workplace Specific
none			(H302)	Procedures for actions to be taken after an accident or other emergencies.
			Eye Dam. 1 (H318)	6. ACCIDENTAL RELEASE MEASURES
			Skin Sens. 1	Personal unaccriticate protoctive environment and
			(H317) C>0.05%	Personal precautions, protective equipment, and emergency procedures:
			Aquatic Acute 1 (H400)	Ventilate the area of the spill or leak, especially when in
				confined areas. Do not touch or walk through spilled
4. FIRST AID M	EASURES			material as slippery when spilt. Contain spills if it can be done without risk and clean-up immediately.
General Advic	General Advice: The symptoms resulting from direct			Wear appropriate protective clothing recommended in
exposure to th	exposure to the product could appear a while after			Section 8 of the SDS.
exposure. If there is persistent discomfort, seek medical attention. Provide this SDS to medical personnel for				Environmental Precautions:
			inated clothing and	Prevent spillage or further leakage if safe to do so. Do not allow the spilt product to enter water courses and
			ontamination area.	drains and avoid contact with soil. Do not allow the spilt
Keep the person warm, calm and covered up. First Aid				product to spread to other areas - keep the spilt material
personnel should pay attention to their own safety.			wn safety.	contained and isolated. Report spills and releases as required to appropriate authorities if the spilt product has
Eye contact: F	lush eyes im	mediately	with large amounts	caused environmental pollution (sewers, water ways, soil
			, until no evidence	or air).
of chemical rem immediately.	nains. If irritat	ion persists	s, get medical help	Methods for cleaning up: For small spills, soak up with damp earth or sand, or
	Remove all	contamin	ated clothing and	other non-Combustible absorbent material. Place into a
shoes. Gently w	vipe off resid	dual chemi	cal and wash skin	labelled waste container subsequent reclamation or
thoroughly with non-abrasive soap. If irritation persists, get				disposal. Keep the wash water out of drains, sewers and
	medical help. Inhalation: Remove the affected victim from exposure to			For large spills, contain the spillage with absorbent
an area with fresh air. If breathing has stopped, administer				material (non-combustible for flammable products). Sweep
artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical				up with absorbent material, contain and collect spilt
device.	valve or oth	ier proper i	espiratory medical	product in suitable containers for proper disposal. Keep the wash water out of drains, sewers and waterways.
Ingestion: If exposed or concerned, rinse mouth				Reference to other sections:
0,	large amou	nt of wate	r and get medical	See Section 1 for emergency contact information.
advice.	advice.			See Section 8 for information on appropriate personal protective equipment.
Most important symptoms/effects, acute and delayed:				See Section 13 for additional waste treatment information.
None known.			-	7. HANDLING AND STORAGE REQUIREMENTS
Notes to physic			ally.	Propositions for sofo handling
5. FIRE FIGHTI	NG MEASU	KE9		Precautions for safe handling Provide good ventilation in the work area. Prevent contact
Suitable (and u	insuitable) e	xtinguishi	ng media:	with eyes, skin and clothing. Do not breathe in mist/dust.
Use carbon di	Use carbon dioxide, dry chemical for small fires and			Wear protective clothing and equipment during handling
alcohol resistant foam or water fog for large fires. Do not use water jets.				as described in Section 8 of the SDS. Do not eat or drink during use. Wash the hands and face
עסב שמובו ובוס.				thoroughly with soap after handling. Keep containers

storage area facility near industrial hy where the pr Conditions incompatib Always store	as. Locate of the work/h /giene and roduct is us for safe st ilities e locked up	orage, inclu	howers and . Maintain g ing practice I ding any ontainers tig	l eye-rinsing good normal es in areas ghtly closed	with the task. Wear tightly fitted and well-maintained safety eyewear compliant with an approved standard. Hygiene Measures: Wash the hands and/or face before breaks, eating, smoking, or using the lavatory and at the end of the shift/working period. Eye wash fountains and safety showers should be available and easily accessible. Wash contaminated clothing before reuse.
when not in use. Store in a cool, dry and well-ventilated					9. PHYSICAL AND CHEMICAL PROPERTIES
place, out of direct sunlight. Check storage containers regularly for leaks and protect containers from physical damage. Store in the original container, avoid cross contamination with other agricultural products. Keep out of reach of children, uninformed persons, and animals. Do not contaminate water, food, or feed by storage or disposal.					 Appearance/physical state: Flowable Viscous Paste. Odour: Not available. Colour: Pink. Boiling Point: Not available. Vapour Pressure (mm Hg): Not available. Evaporation Rate: Not available.
lt is recomm	nended to	have appro	nriate snill	control kits	Relative Vapour Density: Not available.
equipped w	vith absorb	ent material			Solubility in water: Not available. Decomposition temperature: Not available.
storage area		ction 6).			Melting point/freezing point: Not available. pH: Not available.
		riginal contai	ner.		Density/relative density(g/cm3): 1.80 – 1.84
8 EXPOSU	RE CONT	ROL/PERS		TECTION	Flammability: Not flammable. Flash Point: Not applicable.
					Flammable limits-LEL: Not applicable.
National Occupational Exposure Limits – Restricted limits for hazardous chemical agents.					Auto-ignition temperature: Not applicable. Viscosity: Not available.
0	-				
Component	Туре	Control Parameter	Update	Reference	10. STABILITY AND REACTIVITY Reactivity: None known.
	OEL- TWA		Update 2021	Reference South African RELs [*]	Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage
None	OEL-			South African	Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in
None	OEL- TWA OEL- STEL/C	Parameter - - ering cont	2021 2021 rols: Goo	South African RELs [*] South African RELs [*] od general	 Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known.
None	OEL- TWA OEL- STEL/C e engine hould be s	Parameter - - ering cont ufficient to co	2021 2021 rols: Goo	South African RELs [*] South African RELs [*] od general	Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known.
None Appropriate ventilation s to airborne c PERSONAL	OEL- TWA OEL- STEL/C e engine hould be s contaminar _ PROTEC	Parameter - ering cont ufficient to co ts. TIVE EQUIP	2021 2021 rols: Goc ontrol worke	South African RELs [*] South African RELs [*] od general er exposure	 Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known.
None Appropriate ventilation s to airborne c PERSONAL Respiratory must be bas	OEL- TWA OEL- STEL/C e engine hould be s contaminan PROTEC protectio sed on kno	Parameter - ering cont ufficient to co ts. TIVE EQUIP n: Respirato own or antici	2021 2021 rols: Goc ontrol worke MENT: ory protection pated expo	South African RELs [*] South African RELs [*] od general er exposure	 Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known. Incompatible Materials: Avoid strong acids. Hazardous Decomposition Products: None known.
None Appropriate ventilation s to airborne of PERSONAL Respiratory must be bas the hazards	OEL- TWA OEL- STEL/C e engine hould be s contaminar PROTEC protection sed on know of the pro-	Parameter - ering cont ufficient to co ts. TIVE EQUIP on: Respirate own or antici duct and the	2021 2021 2021 rols: Goc ontrol worke MENT: pated expo e safe work	South African RELs [*] South African RELs [*] od general er exposure on selection isure levels, ing limits of	Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known. Incompatible Materials: Avoid strong acids.
None Appropriate ventilation s to airborne of PERSONAL Respiratory must be bas the hazards the selected maintained	OEL- TWA OEL- STEL/C e engine hould be s contaminar PROTEC protection sed on know of the pro- d respirato particulate	Parameter - ering cont ufficient to co ts. TIVE EQUIP on: Respirate bown or antici- iduct and the r. Use a pro- filter respira	2021 2021 2021 rols: Goc ontrol worke MENT: ory protection pated expo e safe work operly fitted tor, comply	South African RELs [*] South African RELs [*] od general er exposure on selection sure levels, ing limits of d and well- ring with an	Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known. Incompatible Materials: Avoid strong acids. Hazardous Decomposition Products: None known. 11. TOXICOLOGICAL INFORMATION ACUTE TOXICITY: Calculated.
None Appropriate ventilation s to airborne c PERSONAL Respiratory must be bas the hazards the selected maintained approved st	OEL- TWA OEL- STEL/C e engine hould be s contaminar PROTEC protections sed on known of the protections and respirato particulate candard. R	Parameter - ering cont ufficient to co ts. TIVE EQUIP on: Respirato own or antici oduct and the r. Use a pro- filter respira espirator sele	2021 2021 2021 rols: Goc ontrol worke mENT: ory protection pated expo e safe work operly fitted tor, comply ection and	South African RELs* South African RELs* od general er exposure on selection sure levels, ing limits of d and well- ring with an use should	Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known. Incompatible Materials: Avoid strong acids. Hazardous Decomposition Products: None known. 11. TOXICOLOGICAL INFORMATION
None Appropriate ventilation s to airborne of PERSONAL Respiratory must be bas the hazards the selected maintained approved st be based of For emerge	OEL- TWA OEL- STEL/C e engine hould be s contaminan PROTEC protectio sed on kno of the pro- d respirato particulate candard. R in contaminency cond	Parameter - ering cont ufficient to co ts. TIVE EQUIP n: Respirato bown or antici- duct and the r. Use a pro- filter respira espirator sele- nant type, fo- itions, use a	2021 2021 2021 rols: Goc ontrol worke mENT: ory protection pated expo e safe work operly fitted tor, comply ection and orm and co an approve	South African RELs* South African RELs* od general er exposure on selection sure levels, ing limits of d and well- ring with an use should incentration.	Reactivity: None known.Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight.Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known. Incompatible Materials: Avoid strong acids. Hazardous Decomposition Products: None known.11. TOXICOLOGICAL INFORMATIONACUTE TOXICITY: Calculated. Acute Toxicity Oral LD50 >2900 mg/kg. Acute Toxicity Inhalation: Not classified.
None Appropriate ventilation s to airborne of PERSONAL Respiratory must be bas the hazards the selected maintained approved st be based of For emerge pressure sel	OEL- TWA OEL- STEL/C e engine hould be s contaminan PROTEC protection sed on know of the pro- d respirato particulate candard. R in contamine ency cond f-contained	Parameter - ering cont ufficient to co ts. TIVE EQUIP or: Respirato bwn or antici duct and the r. Use a pro- filter respira espirator sele- nant type, for itions, use a breathing ap	2021 2021 2021 rols: Goc ontrol worke mENT: ory protection pated expo e safe work operly fitted tor, comply ection and orm and co an approve oparatus.	South African RELs [*] South African RELs [*] od general er exposure on selection sure levels, ing limits of d and well- ring with an use should oncentration. ed positive-	Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known. Incompatible Materials: Avoid strong acids. Hazardous Decomposition Products: None known. 11. TOXICOLOGICAL INFORMATION ACUTE TOXICITY: Calculated. Acute Toxicity Oral LD ₅₀ >2900 mg/kg. Acute Toxicity Inhalation: Not classified. Skin Corrosion/Irritation: Not classified. Eye Damage/Irritation: Causes serious eye damage.
None Appropriate ventilation s to airborne of PERSONAL Respiratory must be bas the hazards the selected maintained approved st be based of For emerge pressure sel Skin and protection bas	OEL- TWA OEL- STEL/C e engine hould be s contaminan PROTEC protection sed on kno of the pro- d respirato particulate candard. R in contamine ency cond if-contained Hand Pr- ased on the	Parameter - ering cont ufficient to ca ts. TIVE EQUIP on: Respirator bouch and the r. Use a pro- filter respirator sepirator sele- nant type, for itions, use a breathing ap otection: Set ask being p	2021 2021 2021 rols: Goc ontrol worke mENT: ory protection pated expo e safe work operly fitted tor, comply ection and orm and co an approve oparatus. elect skin performed a	South African RELs [*] South African RELs [*] od general er exposure on selection sure levels, ing limits of d and well- ring with an use should oncentration. ed positive- and hand and the risks	 Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known. Incompatible Materials: Avoid strong acids. Hazardous Decomposition Products: None known. 11. TOXICOLOGICAL INFORMATION ACUTE TOXICITY: Calculated. Acute Toxicity Oral LD₅₀ >2900 mg/kg. Acute Toxicity Inhalation: Not classified. Skin Corrosion/Irritation: Not classified. Eye Damage/Irritation: Causes serious eye damage. Skin Sensitization: May cause an allergic skin reaction.
None Appropriate ventilation s to airborne c PERSONAL Respiratory must be base the hazards the selected maintained approved st be based o For emerge pressure sel Skin and protection ba involved wit	OEL- TWA OEL- STEL/C e engine hould be s contaminar PROTEC protections sed on kno of the pro- drespirato particulate andard. R in contamine ency cond if-contained Hand Pro- ased on the the task	Parameter Parameter	2021 2021 2021 rols: Goc ontrol worke mENT: ory protection pated expo e safe work operly fitted tor, comply ection and orm and co an approve oparatus. elect skin performed a s should b	South African RELs* South African RELs* od general er exposure on selection sure levels, ing limits of d and well- ring with an use should oncentration. ed positive- and hand and the risks be replaced	Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known. Incompatible Materials: Avoid strong acids. Hazardous Decomposition Products: None known. 11. TOXICOLOGICAL INFORMATION ACUTE TOXICITY: Calculated. Acute Toxicity Oral LD ₅₀ >2900 mg/kg. Acute Toxicity Inhalation: Not classified. Skin Corrosion/Irritation: Not classified. Eye Damage/Irritation: Causes serious eye damage. Skin Sensitization: May cause an allergic skin reaction. Respiratory Sensitization: Not classified. Germ cell mutagenicity: Not classified.
None Appropriate ventilation s to airborne of PERSONAL Respiratory must be bas the hazards the selected maintained approved st be based of For emerge pressure sel Skin and protection ba involved witt immediately clothing must	OEL- TWA OEL- STEL/C e engine hould be s contaminan PROTEC protectio sed on kno of the pro- drespirato particulate candard. R in contamine ency cond if-contained Hand Pr ased on the th the task in case o st be prope	Parameter - ering cont ufficient to ca ts. TIVE EQUIP on: Respirator bouch and the r. Use a pro- filter respirator spirator sele- nant type, for itions, use a breathing ap otection: S e task being p	2021 2021 2021 rols: Goc ontrol worke MENT: ory protection pated expo e safe work operly fitted tor, comply ection and orm and co an approve oparatus. elect skin performed a es should b he persona well mainta	South African RELs [*] South African RELs [*] od general er exposure on selection sure levels, ing limits of d and well- ring with an use should incentration. ed positive- and hand and the risks be replaced al protective ined.	Reactivity: None known. Chemical Stability: This product is stable for 2 years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50°C, preferably below 30°C, and not for prolonged periods in direct sunlight. Possibility of Hazardous Reactions: None known. Conditions to Avoid: None known. Incompatible Materials: Avoid strong acids. Hazardous Decomposition Products: None known. 11. TOXICOLOGICAL INFORMATION ACUTE TOXICITY: Calculated. Acute Toxicity Oral LD ₅₀ >2900 mg/kg. Acute Toxicity Inhalation: Not classified. Skin Corrosion/Irritation: Not classified. Eye Damage/Irritation: Causes serious eye damage. Skin Sensitization: May cause an allergic skin reaction. Respiratory Sensitization: Not classified.

Specific target organ toxicity – repeated exposures classified. Aspiration hazard: Not classified. Symptoms related to the physical, chemical, toxicological characteristics. No information available.	Regulations for Hazardous Chemical Agents – 2021 – SA Occupational Health and Safety Act Handling, labelling and Safety Data Sheets for hazardous and GHS classified substances and mixtures. Occupational Exposure Limits. Hazardous Substances Act, 1973 (Act No.15 of 1973) - Requirements on the prohibition and control of the importation, manufacture, sale, use, operation, application, modification, disposal or dumping of hazardous substances. Occupational Health and Safety Act No. 85 of 1993 Occupational Health and Safety Standards for employers and users working with and around hazardous chemical substances. National Road Traffic Act, 1996 (ACT NO. 93 of 1996) The identification and classification of dangerous goods for transport by road and			
12. ECOLOGICAL INFORMATION				
ECOTOXICITY DATA: No data available.				
ENVIRONMENTAL EFFECTS: Plants: Not determined. Persistence and degradability: Not determined.				
Bio-accumulative Potential: Not determined.	rail modes. Botswana			
Mobility in soil: Not determined. Other adverse effects: Not determined.	Pesticides and Toxic Substances Regulations. 1994			
13. DISPOSAL CONSIDERATIONS	 (2006) - Control and management of pesticides and other toxic substances. Environmental and Pollution Control Act. 1990 - Hazardous waste disposal, hazardous substances, 			
Waste handling and disposal: Dispose product rel waste in accordance with all local regulations and pre- the contamination of water, food, or feed by storag disposal of the waste. The product container/bags ma- taken to a registered waste disposal site or incinera- plant. General container handling: Empty all pesticides the container by placing it upside down over the spray and holding it there for at least 30 seconds. Puncture rinsed container to render it useless and send to recycler.	pesticides, and effluent wastewater/discharge. Namibia Labour Act 11 of 2007 - Hazardous substances classification, labelling, Chemical Safety Data Sheets and Occupational Exposure Limits. Notification of the use of carcinogens and other controlled substances. Regulations relating to the Health and Safety of Employees at Work Government Notice 156 of 1997. Labour Act 11 of 2007 schedule, item 2(2) Occupational Health and Safety Standards for employers and users working with and around hazardous chemical substances.			
14. TRANSPORT INFORMATION	16. OTHER INFORMATION			
Land Inland Sea Air Transport Waterways Transport (ADR/RID) (AND/ADN (IMDG) (ICAO- R) IATA-D	Packaging: Packed in 0,1; 0,2; 0,25; 0,5; 1; 2; 5; 10; 20; 25; 200; 210; 1000 L plastic containers or plastic bags; and labelled according to South African regulations and guidelines.			
UN Not Not Not Not Number Regulated Regulated Regulated Regulated	d C			
UN Proper Shipping Name	Relevant classification and H-Statements: Skin Sensitization – Category 1 H317: May cause an allergic skin reaction.			
Transport Hazard Class	Eye Damage – Category 1 —— H318: Causes serious eye damage.			
Transport Hazard Class Pictogram	Aquatic Acute – Category 3 H402: Harmful to aquatic life.			
Packing Group				
	Key to Abbreviations			
15. REGULATORY INFORMATION Safety, health and environmental	AND European Provisions concerning the International Carraige od Dangerous Goods by inland Waterways			
regulations/legislation for the mixture. South Africa	ADR The European Agreement concerning the International Carraige of Dangerous Goods by Road			

- ATE Acute Toxicity Estimate
- **COD** Chemical Oxygen Demand
- Globally Harmonised System of Classification and Labelling of ChemicalsIATA International Air Transport Association
- ICAO International Civil Aviation Organisation
- IMDG International Maritime Dangerous Goods
- **Log**_{Pow} Logarithm of the octanol/water partition coefficient
- LD_{50} Lethal Dose 50
- LC₅₀ Lethal Concentration 50
- RIDThe Regulations concerning the International
Carraige of Dangerous Goods by RailSDSSafety Data Sheet
- UN United Nations

Notice to Reader

The information contained in this Safety Data Sheet relate only to the specific product and do not relate to the use of the product in combination with any other product or process. Information in the SDS is supplied to the best of **ROLFES AGRI (PTY) LTD's** knowledge and are believed to be current and correct as of the date on this SDS. All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

The SDS only provides information applicable to the health, safety and environmental hazards of this product at the date of issue in order to facilitate the safe use, handling, storage and transport of this product and does not replace any product information or product specifications.

It is not possible for ROLFES AGRI (PTY) LTD to anticipate or control all conditions under which this product, this product may be used, handled, stored or transported. The obligation of the user, receiver, handler or transporter remains to review the content of the SDS prior to potentially exposing persons/employees to the product and to consider any risks that may associated with the hazards of the product during use, handlings, storage or Appropriate transportation. health, safety and environmental protection risk mitigating measures must be in place and such information must be communicated to all persons that might be involved with and exposed to this product.

Disclaimer:

ROLFES AGRI Proprietary Limited provides the information contained herein in good faith, however, the information and recommendations are presented without warrant, representation or license of any kind, expressed or implied, with respect to the accuracy, correctness or its comprehensiveness, or assume any liability for incomplete information contained herein or any advice given. The seller, supplier and manufacturer of the material and their respective affiliates (collectively, the "supplier") disclaim all liability for reliance on such information and recommendations.

This document is intended only as a guide to the appropriate precautionary handling and use of the product by a properly

trained person. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale. Accordingly, Rolfes Agri Proprietary Limited will not be responsible for damages resulting from use or reliance upon this information.

END OF SAFETY DATA SHEET