

SAFETY DATA SHEET

ACCORDING TO THE SOUTH AFRICAN REGULATIONS FOR HAZARDOUS CHEMICAL AGENTS - 2021

COPPER EDTA 15% Chelate

Revised on / Version: 01/09/2022 / 0004
Replaces Revision of / Version: 13/06/2018 / 0003

PAGE 1 OF 11

SECTION 1: Product and Company Identification

Identification of the product/preparation

Product Name:	COPPER EDTA 15% Chelate
Trade Name/Synonyms:	COPPER EDTA 15% Chelate
Registration Number:	B3301
Product Description and Type:	Water soluble powder EDTA chelate for use as a soil application or foliar spray.

Active Ingredient

Formula:	C ₁₀ H ₁₂ CuN ₂ Na ₂ O ₈
CAS Number:	14025-15-1

Supplier

Company Name: Rolfes Agri (Pty) Ltd
Address: 288 Mundt Street
Waltloo
Pretoria
South Africa
Phone Number: +27(0)12 803 0145
E-mail Address: info@rolfesagri.co.za

Emergency Phone Numbers

Nature of Emergency	Emergency Operator	Telephone Number
Office Hour Poisoning Emergency Helpline	Rolfes Agri (Pty) Ltd.	+27(0)12 803 0145
Spill Response and Transport Incidents	Spill Tech, Oil, and chemical pollution control	086 100 0366 083 253 6618 www.spilltech.co.za

Relevant identified uses of the product and uses advised against

For use in Agriculture and use as per the product label.

SECTION 2: Hazards Identification**Classification of the substance or mixture**

This product is classified as hazardous according to the criteria in South Africa - GHS classification and labelling of chemicals, the Regulations for Hazardous Chemical Agents, 2021.

Classification:

Hazard class	Category	Hazard Statement Number
Serious Eye Damage/Eye Irritation	2	H319
Acute Toxicity; Inhalation	4	H332

Label Elements

South Africa. GHS classification and labelling of chemicals and the Regulations for Hazardous Chemical Agents, 2021.

Pictograms:**WARNING****Hazard Statements:**

Statement Number	Hazard Statement
H319	Causes serious eye irritation
H332	Harmful if inhaled.

Precautionary Statements:**General –**

Statement Number	Precautionary Statement
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Prevention -

Statement Number	Precautionary Statement
P264	Wash affected area thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear safety goggles and dust mask when handling this product.

Response -

Statement Number	Precautionary Statement
P304 + P340	IF INHALED: Remove person to fresh air and keep

COPPER EDTA 15% CHELATE

	comfortable for breathing.
P321	Specific treatment (see first aid on this label).
P330	Rinse mouth.
P305 + P351+ P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+ P317	If eye irritation persists: Get medical help

Disposal -

Statement Number	Precautionary Statement
P501	Empty all pesticides from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

Other Hazards

None known.

SECTION 3: Composition/Information on Ingredients**Substance**

Common Name:	Copper disodium EDTA
IUPAC/Chemical Name:	copper;disodium;2-[2-[bis(carboxylatomethyl)amino]ethyl-(carboxylatomethyl)amino]acetate
Chemical Family:	aminopolycarboxylic acid
Formulation:	Copper 150 g/L

Ingredients with Hazard Concerns (GHS)

According to UN GHS criteria.

Hazardous Component	CAS Number	Weight - %	GHS Classification
Copper EDTA 15%	14025-15-1	>95%	Acute Toxicity 4 Eye irritation 2

NOTE: There are no other ingredients present according to the current knowledge of the supplier (condisering their concentrations present in the product) that are classified as hazardous to health or the environment and that cause/contribute to the correct GHS classification of this Product. These ingredients are therefore, in terms of the South African Hazardous Chemical Agent Regulations 2021; Regulation 14(b), not listed.

SECTION 4: First-Aid Measures**Description of First-aid Measures**

General Advice	The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention. Provide this SDS to medical personnel for treatment. Immediately remove contaminated clothing and remove the affected person from the contamination
-----------------------	--

COPPER EDTA 15% CHELATE

	area. Keep the person warm, calm and covered up. First Aid personnel should pay attention to their own safety
Eye Contact	IF IN EYES: rinse cautiously with water for several minute. Remove contact lenses, if present or easy to do so. Continue rinsing. If eye irritation persists, get medical help.
Skin Contact	Remove all contaminated clothing and shoes. Wash contaminated clothing before re-use. Rinse the skin immediately with plenty of water-
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Remove the affected victim from exposure to an area with fresh air as a precaution. If not breathing, administer artificial respiration. With the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Obtain immediate medical attention.
Ingestion	If conscious, rinse mouth thoroughly with water. Never give anything by mouth to an unconscious or convulsing person. Do not induce vomiting unless directed to do so by a medical professional. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomits, rinse mouth and administer more water.

Most important symptoms/effects, acute and delayed Symptoms of exposure to the product include: Eye irritation

Indication of any immediate medical attention and special treatment needed

Notes to physician: None

Specific treatments: Treat symptomatically and supportively.

SECTION 5: Firefighting Measures

Suitable (and unsuitable) extinguishing media	Use carbon dioxide, dry chemical, alcohol resistant foam, or water spray. Do not use water jets.
Specific hazards arising from the chemical including thermal decomposition products	If heated, harmful vapors may be formed. It is not combustible.
Special protective equipment and precautions for fire-fighters	Firefighters must wear emergency equipment including positive pressure self-contained breathing apparatus with a full-face mask. Remove unaffected containers from fire area if possible.
Additional provisions	Act in accordance with the site's Internal Emergency Plan and the Workplace Specific Procedures for actions to be taken after an accident or other emergencies.

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures

Do not breathe in dust/fumes/vapour and avoid contact with eyes, skin and clothes.

Ventilate the area of the spill or leak, especially when in confined areas.

Do not touch or walk-through spilled material as slippery when spilt.

Wear appropriate protective clothing recommended in Section 8 of the SDS.

Environmental Precautions

Prevent spillage or further leakage if safe to do so.

Do not allow the spilt product to enter water courses and drains and avoid contact with soil.

Do not allow the spilt product to spread to other areas - keep the spilt material contained and isolated.

Report spills and releases as required to appropriate authorities if the spilt product has caused environmental pollution (sewers, water ways, soil, or air).

Methods for cleaning up

For small spills, Sweep up with damp absorbent material. Place into a labelled waste container subsequent reclamation or disposal. Keep the wash water out of drains, sewers, and waterways.

For large spills, Sweep up with absorbent material. Avoid creating dusty conditions and prevent wind dispersal and place the residues into a suitable container for proper disposal. Keep the wash water out of drains, sewers, and waterways.

Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and Storage

Precautions for safe handling

Always provide good ventilation in the work area. Prevent contact with eyes, skin and clothing. Do not breathe in dust/vapours/spray mists. Wear protective clothing and equipment during handling as described in Section 8 of the SDS.

Do not eat or drink during use. Wash the hands and face thoroughly with soap after handling.

Keep containers closed when not in use. Do not permit smoking in use or storage areas.

Locate emergency showers and eye-rinsing facility near the work/handling area. Maintain good normal industrial hygiene and housekeeping practices in areas where the product is used/handled.

Conditions for safe storage, including any incompatibilities

Always store locked up and keep containers tightly closed when not in use. Store in a cool, dry and well-ventilated place, out of direct sunlight. Check storage containers regularly for leaks and protect containers from physical damage. Store in the original container, avoid cross contamination with other agricultural products. Keep out of reach of children, uninformed persons and animals. Do not contaminate water, food, or feed by storage or disposal.

It is recommended to have appropriate spill control kits equipped with absorbent material in close proximity to storage areas (see Section 6).

Specific end use(s)

Use as directed. Use original container.

SECTION 8: Exposure Controls and Personal Protection

Occupational exposure limits – restricted limits for hazardous chemical agents.

Component	Type	Control Parameter	Update	Basis
Copper EDTA	OEL-eight hour TWA	N/A	2021	South African RELs*
	OEL-STEL/C	N/A	2021	South African RELs*

*REL: Recommended Exposure Limit.
 OEL-eight hour TWA: Occupational Exposure Limit- Time Weighted Average. Calculated over an eight-hour working day, for a five-day working week.
 OEL-STEL/C: Occupational Exposure Limit – short Term Exposure Limit /Ceiling Limit. Peak airborne concentration determined over the shortest analytically practicable period of time, which does not exceed 15 minutes.

National Biological Exposure Indices (BEIs) for hazardous chemical agents.

Component	Sample Matrix	Sample Time	Value
Cu EDTA	N/A	N/A	N/A

Appropriate engineering controls

Good general ventilation should be sufficient to maintain airborne concentrations and exposure below occupational exposure limits.

Personal Protective Equipment

Respiratory Protection:	Respiratory protection selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted and well-maintained particulate filter respirator, complying with an approved standard. Respirator selection and use should be based on contaminant type, form and concentration. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.
Skin and Hand Protection:	Select skin and hand protection based on the task being performed and the risks involved with the task. The gloves should be replaced immediately in case of damage or signs of wear. The personal protective clothing must be properly fitted and well maintained.
Eye/Face Protection:	Select safety eye/face protection based on the task being performed and the risks involved with the task. Wear tightly fitted and well-maintained safety eyewear compliant with an approved standard.
Hygiene Measures:	Wash the hands and/or face before breaks, eating, smoking, or using the lavatory and at the end of the shift/working period. Eye wash fountains and safety showers should be available and easily accessible. Wash contaminated clothing before reuse.

Environmental exposure controls

In accordance with the local legislation for the protection of the environment it is recommended to avoid environmental spillage or releases of both the product and its container.

SECTION 9: Physical and Chemical Properties

Data applicable to substance.

Appearance	Appearance/physical state	Powder
	Odour characteristics	Blue
	Colour	Odorless
Volatility	Boiling point (°C)	Not applicable
	Vapour pressure (Pa)	6-7
	Not applicable	Not applicable
Product Description	Relative density (kg/m ³ , relative density of water =1)	600 - 800 kg/m ³
	Solubility in water (g/100mL)	Not applicable
	Decomposition temperature (°C)	Not applicable
	Melting point/freezing point (°C)	Not applicable
	pH	Not applicable
	Density/relative density (g/cm ³)	Not applicable
	Particle characteristics	Not applicable
Flammability	Flammable (Y/N)	Not flammable
	Flash point (°C)	Not flammable
	Flammable limits-LEL	Not flammable
	Auto-ignition Temperature (°C)	Not flammable

*Not relevant due to the nature of the product, not providing information property of its hazards.

Other Hazard Information

None Known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

The product is stable under normal conditions.

Chemical Stability

Stable under normal ambient conditions of use, storage and transport.

Possibility of Hazardous Reactions

None known under conditions of normal use.

Conditions to Avoid

Avoid extreme temperatures (>50°C). Keep away from heat and ignition sources.

Incompatible Materials

Incompatible with: Avoid strong oxidizing agents and acids.

Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Information on likely routes of exposure

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: No Information available.

Method: No Information available.

Dosage: No Information available.

Routes of administration: No Information available.

Results: No Information available.

Absorption: No Information available.

Distribution: No Information available.

Metabolism: No Information available.

Excretion: No Information available.

Information on toxicological effects:

Acute toxicity:

Acute oral toxicity: Copper EDTA.

Warning! According to the classification provided by companies to ECHA in REACH registrations this substance is harmful if swallowed.

LD50: 890 mg/kg

Category 4 classified.

Acute dermal toxicity: Does not meet the GHS Classification criteria.

Acute inhalation toxicity: Does not meet the GHS Classification criteria.

Skin corrosion/irritation: Does not meet the GHS Classification criteria.

Serious eye damage/irritation: Copper EDTA.

Warning! This substance causes serious eye irritation. Category 2.

Respiratory or skin sensitization: Does not meet the GHS Classification criteria.

Germ cell mutagenicity: Does not meet the GHS Classification criteria.

Carcinogenicity: Does not meet the GHS Classification criteria.

Reproductive toxicity: Does not meet the GHS Classification criteria.

STOT-single exposure: Does not meet the GHS Classification criteria.

STOT-repeated exposure: Does not meet the GHS Classification criteria.

Aspiration hazard: Does not meet the GHS Classification criteria.

Symptoms related to the physical, chemical, and toxicological characteristics

Causes eye irritation.

SECTION 12: Ecological Information

Ecotoxicity

Short-term (Acute) hazard Aquatic: Does not meet the GHS Classification criteria.

Long-term (Chronic) hazard Aquatic: Does not meet the GHS Classification criteria.

Bio-degradability in the aquatic environment: No information available.

Fish 96h: 555 mg/L.

Crustacea-Daphnia magna 48h: 109.2 mg/L.

Algae/ Aquatic plant: not available.

Toxicity to other species

Birds: No information available.

Bees: No information available.

Soil Microorganisms: 641 mg/kg soil dw

Other Environmental and Adverse Effects:

Persistence and Degradability: No data available.

Bioaccumulative Potential:

No data available.

Mobility in Soil:

No information available.

Other Adverse Effects:

None Known

SECTION 13: Disposal Considerations

Waste handling and disposal

Dispose product related waste in accordance with all local regulations and prevent the contamination of water, food, or feed by storage or disposal of the waste.

General container handling

Empty all pesticides from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler. Do not use empty containers for any other purpose.

SECTION 14: Transport Information

	Land Transport (ADR/RID)	Inland Waterways (AND/ADNR)	See Transport (IMDG)	Air Transport (ICAO-TI/IATA-DGR)
UN Number	-	-	-	-
UN Proper Shipping Name	-	-	-	-
Transport Hazard Class	-	-	-	-
Transport Hazard Class Pictogram	-	-	-	-
Transport Subsidiary Class	-	-	-	-
Packaging Group	-	-	-	-
Environmental Hazard	-	-	-	-

Not classified as dangerous goods.

SECTION 15: Regulatory Information

Safety, health, and environmental regulations/legislation for the mixture.

South Africa

Regulations for Hazardous Chemical Agents – 2021 – SA Occupational Health and Safety Act. - Handling, labelling and Safety Data Sheets for hazardous and GHS classified substances and mixtures. Occupational Exposure Limits.

Hazardous Substances Act, 1973 (Act No.15 of 1973) - Requirements on the prohibition and control of the importation, manufacture, sale, use, operation, application, modification, disposal or dumping of hazardous substances.

Occupational Health and Safety Act No. 85 of 1993.- Occupational Health and Safety Standards for employers and users working with and around hazardous chemical substances.

National Road Traffic Act, 1996 (ACT NO. 93 of 1996). - The identification and classification of dangerous goods for transport by road and rail modes.

Botswana

Pesticides and Toxic Substances Regulations. 1994 (2006) - Control and management of pesticides and other toxic substances.

Environmental and Pollution Control Act. 1990 - Hazardous waste disposal, hazardous substances, pesticides and effluent wastewater/discharge.

Namibia

Labour Act 11 of 2007 - Hazardous substances classification, labelling, Chemical Safety Data Sheets and Occupational Exposure Limits. Notification of the use of carcinogens and other controlled substances.

Regulations relating to the Health and Safety of Employees at Work Government Notice 156 of 1997. Labour Act 11 of 2007 schedule, item 2(2). - Occupational Health and Safety Standards for employers and users working with and around hazardous chemical substances.

SECTION 16: Other Information

Indication of changes

Alignment to the GHS.

Relevant classification and H-Statements (Number and full text):

Serious Eye Damage/Eye Irritation- Category 2

H319: Causes serious eye irritation

Acute Toxicity; Inhalation- Category 4

H332: Harmful if inhaled.

Key to Abbreviations

AND	European Provisions concerning the International Carriage of Dangerous Goods by inland Waterways
ADR	The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
COD	Chemical Oxygen Demand

GHS	Globally Harmonised System of Classification and Labelling of Chemicals
IATA	International Air Transport Association
ICAO	International Civil Aviation Organisation
IMDG	International Maritime Dangerous Goods
Log _{Pow}	Logarithm of the octanol/water partition coefficient
LD50	Lethal Dose 50
LC50	Lethal Concentration 50
RID	The Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
UN	United Nations

Notice to Reader

The information contained in this Safety Data Sheet relate only to the specific product and do not relate to the use of the product in combination with any other product or process. Information in the SDS is supplied to the best of ROLFES AGRI (PTY) LTD's knowledge and are believed to be current and correct as of the date on this SDS. All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

The SDS only provides information applicable to the health, safety and environmental hazards of this product at the date of issue in order to facilitate the safe use, handling, storage and transport of this product and does not replace any product information or product specifications.

It is not possible for ROLFES AGRI (PTY) LTD to anticipate or control all conditions under which this product may be used, handled, stored or transported. The obligation of the user, receiver, handler or transporter remains to review the content of the SDS prior to potentially exposing persons/employees to the product and to consider any risks that may associated with the hazards of the product during use, handlings, storage or transportation. Appropriate health, safety and environmental protection risk mitigating measures must be in place and such information must be communicated to all persons that might be involved with and exposed to this product.

Disclaimer

ROLFES AGRI Proprietary Limited provides the information contained herein in good faith, however, the information and recommendations are presented without warrant, representation or license of any kind, expressed or implied, with respect to the accuracy, correctness or its comprehensiveness, or assume any liability for incomplete information contained herein or any advice given. The seller, supplier and manufacturer of the material and their respective affiliates (collectively, the "supplier") disclaim all liability for reliance on such information and recommendations.

This document is intended only as a guide to the appropriate precautionary handling and use of the product by a properly trained person. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale. Accordingly, Rolfes Agri Proprietary Limited will not be responsible for damages resulting from use or reliance upon this information.

END OF SAFETY DATA SHEET