

Fighter 500 SL

Reg. No. L8677 Act No. 36 of 1947

FRAC FUNGICIDE GROUP CODE 33

READ LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

FIGHTER 500 SL is a systemic water-soluble liquid fungicide for the control of *Phytophthora* root rot in avocado trees when applied as a stem injection.



FUNGICIDE



WARNING

ACTIVE INGREDIENT

Potassium phosphite
Phosphorous acid equivalent

777 g/l
500 g/l

HAZARD STATEMENTS:

Causes serious eye irritation.

PRECAUTIONARY STATEMENTS:

Read carefully and follow all instructions.
Wear eye protection/face protection.

Registered, Manufactured & Distributed by: Rolfes Agri (Pty) Ltd.
(Reg. No. 1998/013411/07) • 288 Mundt Street, Walitloo, 0184
Gauteng, RSA. • Tel: (012) 803-0145

Emergency contact details
Office Hour Poisoning Helpline
Rolfes Agri (Pty) Ltd.
Tel: +27 (12) 803 0145

Rolfes 
Agri

Spill Response and Transport incidents
Spill Tech, Oil and chemical pollution control
Tel: +27 (86) 100 0366 / +27 (83) 253 6618
www.spilltech.co.za

Shake well before use • Store at room temperature
Keep out of direct sunlight • Keep container closed when not in use



LIFT HERE

WARNINGS:

- **Withholding periods:**
 - Allow a minimum period of 30 days between last stem injection and harvest.
 - Store in a cool, dry place away from food and feed.
 - Apply **FIGHTER 500 SL** after spring and summer flushes have hardened off when applied as a **stem injection**.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment, or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS:

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Wash hands and affected area thoroughly after handling. Do **NOT** touch eyes.
- Wear eye protection/face protection.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical help.
- Wash with soap and water after application or skin contamination.
- Wear rubber gloves and face shield whilst mixing and applying.
- Prevent contamination of food, feed, drinking water and eating utensils.
- Any leftover **FIGHTER 500 SL** must be kept in a closed container in a safe place.
- Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

RELEVANT HAZARDOUS SUBSTANCES:

Potassium Phosphate 30 to 60%.

FIRST AID TREATMENT

- **General Advice:** The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention.
- **Eye contact:** Flush eyes immediately with large amounts of flowing cold water for 15-20 minutes, until no evidence of chemical remains. If irritation persists, get medical help.
- **Skin contact:** Remove all contaminated clothing and shoes immediately. Gently wipe off residual chemical and wash skin thoroughly with non-abrasive soap. If irritation persists, get medical help.
- **Inhalation:** Remove the affected victim from exposure to an area with fresh air. If breathing has stopped, administer artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
- **Ingestion:** If exposed or concerned, rinse mouth thoroughly with large amount of water and get medical advice.

RESISTANCE WARNING:

For resistance management, **FIGHTER 500 SL** is a group code 33 fungicide. Any fungus population may contain individuals naturally resistant to **FIGHTER 500 SL** and other group code 33 fungicides. The resistant individuals can eventually dominate the fungus population if these fungicides are used repeatedly. These resistant fungi may not be controlled by **FIGHTER 500 SL** or any other group code 33 fungicide.

To delay fungicide resistance:

- Avoid exclusive repeated use of fungicides from the same fungicide group code. Alternate with registered products from different fungicide group codes.
- Integrate other control methods (chemical, cultural, biological) into disease control programs.

For specific information on resistance management contact the registration holder of this product.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

COMPATIBILITY:

It is not recommended to mix **FIGHTER 500 SL** with any other chemicals when applied as a stem injection.

STEM-INJECTION (Only avocado):

TIMING OF APPLICATION:

Apply **FIGHTER 500 SL** after spring flushes have hardened off and repeat after hardening off of summer flushes. The exact date will be determined by the cultivar, prevailing weather conditions and region. Furthermore, trees affected by *Phytophthora* root rot will flush later, and therefore harden off later. Avoid injecting the trees while still flushing, because translocation to the roots will be reduced and might increase residues in the fruit.

METHOD OF APPLICATION:

Drill holes in the tree trunk using a 4.8 mm drill bit. Angle the holes downward and drill to a depth of 30 to 50 mm. The holes must be spaced evenly around the tree trunk. Use a standard "avocado" syringe to inject **FIGHTER 500 SL** into the freshly drilled holes.

Draw the required volume of **FIGHTER 500 SL** into the syringe. Invert the syringe and pull back the plunger to fill the remaining capacity of the syringe with air.

Insert the syringes carefully at the right angle into the holes in the tree trunk to ensure a tight fit and prevent leakage when pressure is applied. Do **NOT** ream the hole with the nozzle of the syringe. Depress the plunger to compress the air in the syringe, and then fix the plunger in this position with a suitable nail. The compressed air will help to force **FIGHTER 500 SL** into the tree. Repeat with all the holes that have been drilled. Remove the syringe only once the tree has taken up all the **FIGHTER 500 SL**. The absorption process of the **FIGHTER 500 SL** may take several minutes to a few days depending on the uptake ability of the tree and dosage rate per syringe.

The size and condition of the tree will determine the number of injections. The following table is a guideline to the number and volume of injections recommended per tree:

SEVERELY AFFECTED TREES (0.5 g ai / m²)

TREE DIAMETER (m)	NO. OF SYRINGES	FIGHTER 500 SL PER SYRINGE (mℓ)	WATER PER SYRINGE (mℓ)	TOTAL VOLUME PER SYRINGE (mℓ)	TOTAL FIGHTER 500 SL PER TREE (mℓ)
2	2	1.5	3.5	5	3
3	2	3.5	1.5	5	7
4	3	4	1	5	12
5	3	7	-	7	21
6	3	10	-	10	30
7	4	10	-	10	40
8	5	10	-	10	50
9	6	10	-	10	60
10	8	10	-	10	80
11	10	10	-	10	100
12	11	10	-	10	110
13	9	15	-	15	135
14	10	15	-	15	150

Notes:

- The addition of clean water to the lower recommended dosage rates for small trees will enable accurate dosing. However it is optional and not a requirement for dosing smaller trees and can be left out if preferred.
- Under the following conditions the above recommended rates might have to be adjusted:
 - Increase application rates for trees that are very tall in relation to their diameters (high tree populations or certain cultivars).
 - Lower application rates should be applied to trees with sparse foliage or which have been trimmed back severely.
- When adjusting the application rates, calculate the tree area (tree height x tree width or canopy diameter). Apply 1 mℓ / m² for severely affected trees and 0.7 mℓ / m² for mildly affected trees and/or preventative treatment.
- When using the adjusted rates, the number of syringes per tree will also have to be adjusted. It is important to find a balance between the volume **FIGHTER 500 SL** per syringe and the number of syringes per tree. Even though smaller amounts per syringe are absorbed quicker; more drill holes are required which cause more injury to the tree. However, fewer drill holes will cause less injury, but will take longer to be taken up by the tree.

BORON 130 SC Reg. No. B3718, Act No. 36 of 1947 **Rolfes Agri (Pty) Ltd.**

MILDLY AFFECTED TREES / PREVENTATIVE TREATMENT (0.3 g ai / m²)

TREE DIAMETER (m)	NO. OF SYRINGES	FIGHTER 500 SL PER SYRINGE (mℓ)	WATER PER SYRINGE (mℓ)	TOTAL VOLUME PER SYRINGE (mℓ)	TOTAL FIGHTER 500 SL / TREE (mℓ)
2	2	1	4	5	2
3	2	2.5	2.5	5	5
4	3	2.8	2.2	5	8.4
5	3	4.5	0.5	5	13.5
6	4	5	-	5	20
7	4	7	-	7	28
8	5	7	-	7	35
9	5	8	-	8	40
10	5	10	-	10	50
11	6	10	-	10	60
12	7	10	-	10	70
13	6	15	-	15	90
14	7	15	-	15	105

- Observations made from field trials are that drill holes will heal within a few months after application.
- Due to boron deficiency normally associated with severely infected trees, the addition of a suitable boron nutrition such as **BORON 130 SC** is strongly recommended until the trees return to normal productivity.
- Some leaf damage might occur due to **FIGHTER 500 SL** injections, especially on trees with sparse foliage. However, subsequent flushes of new growth will be normal in most cases.
- Temporary leaf burn of Pinkerton, Ryan and Fuerte cultivars may occur in some areas under certain circumstances. The dilution of the **FIGHTER 500 SL** dosage rate with an equal amount of water will decrease the possibility of leaf burn.
- Should there be any uncertainty regarding the application of **FIGHTER 500 SL**, contact **Rolfes Agri (Pty) Ltd** representative.