

## Not classifiable in terms GHS

Iron\* (Fe) 110 g/kg

\*DTPA Chelated

UN Number: Not Regulated



Registration holder: Rolfes Agri (Pty) Ltd. (Reg. No. 1998/013411/07) • 288 Mundt Street, Waltloo, 0184, Gauteng, RSA. • Tel: (012) 803-0145

Emergency contact details Office Hour Poisoning Helpline Rolfes Agri (Pty) Ltd. Tel: +27 (12) 803 0145 Spill Response and Transport incidents Spill Tech, Oil and chemical pollution control Tel: +27 (86) 100 0366 / +27 (83) 253 6618 www.spilltech.co.za



### PRECAUTIONS:

- . If medical advice is needed, have container or label at hand
- Keep out of reach of children
- . Read carefully and follow all instructions.
- Avoid applications under climate extremes.
- Do not exceed the appropriate application rates.
- To be used only where there is a recognized need.
- Empty all contents from the container by placing it upside down over the spray tank and holding it there for at least 30 seconds. Puncture the rinsed container to render it useless and send to a recycler.

#### FIRST AID TREATMENT:

- General Advice: The symptoms resulting from direct exposure to the product could appear a while after exposure. If there is persistent discomfort, seek medical attention.
- while after exposure. If there is persistent discomfort, seek medical attention.
  Eye contact: Flush eyes with large amount of flowing cold water for several minutes, until no evidence of chemical remains. If irritation persists, set medical help.
- Skin contact: Remove all contaminated clothing and shoes. Gently wipe off residual chemical and wash skin thoroughly with water and non-abrasive soap. If irritation persists, get medical helo.
- Inhalation: Remove the affected victim from exposure to an area with fresh air. If breathing
  has stopped, administer artificial respiration with the aid of a pocket mask equipped with a
  one-way valve or other proper respiratory medical device. If irritation persists, get medical
  help.
- Ingestion: If exposed or concerned, rinse mouth thoroughly with large amount of water and get medical help.

#### GENERAL:

Ferro-Ultra is recommended for use as a soil application where iron levels are low or deficient

according to soil samples. **Ferro-Ultra** can be applied on all soil types, but is most effective on soils with pH < 7.5.

Consult with a qualified Agronomist or Agricultural Advisor on the necessity of this product before applying this fertilizer.

Consult with your chemical distributor, consultant or the registration holder should crop specific programs or any other information be required around the use of Ferro-Ultra. For optimum results Ferro-Ultra should be used in a balanced foliar feeding program.

### COMPATIBILITY:

Read all labels carefully. It is advisable to do a miscibility test prior to mixing Ferro-Ultra with other chemicals.

# STORAGE:

Keep in a cool dry chemical store, out of reach of children, uninformed people, animals and foodstuffs.

Store in a well-sealed container away from direct sunlight.

**DIRECTIONS FOR USE:** Use only as directed.

#### SOIL APPLICATION:

- Ferro-Ultra should be dissolved in a sufficient volume of water to give a 0,1 1,0 % solution (1 – 10 g / ε; 1 – 10 kg / 1000 ε) and applied as a coarse spray or by watering in the area of the feeding roots.
- Alternatively, sprinkle on as a dry powder, mixed with sand or soil.
- Application should be at the rates recommended.
- Incorporate into the top few centimetres of soil as soon as possible after application.
- Application may be made prior to sowing or planting.

### RECOMMENDATIONS:

CROP	DOSAGE RATE	REMARKS
Agronomic Crops	450 — 1000 g / ha	Apply prior to planting.
Vegetable Crops	400 – 900 g / ha	
Apples, Pears	15 – 75 g / tree	See Soil Application.
Citrus	3 – 9 g / tree	Young trees (1 - 3 years). Maintenance applications.
	12 – 30 g / tree	Young trees. (1 - 3 years). Moderate to severe deficiency.
	30 – 90 g / tree	Mature trees. Maintenance application.
	120 — 300 g / tree	Mature trees. Moderate to severe deficiency.
Grapevines	4.5 – 9 g / vine	See Soil Application.
Ornamentals	12 - 30  g / tree	See Soil Application.
(Azaleas, Rhododendrons, Roses)		
Figs	10 – 20 g / tree	Use lower rates on young trees.
Olives	10 – 45 g / tree	Use lower rates on young trees.
Pomegranates	5 – 20 g / ha	Use lower rates on young trees.

# \*Actual quantities required will depend on plant size and degree of deficiency.

For foliar feeds containing iron, contact Rolfes Agri (Pty) Ltd. or nearest product distributor.